河北原产及习見栽培植物名录

(仅供研究及参考使用不公開發售)

中国科学院植物研究所
北京大学生物系
編

1958.10.

中國科學院圖書館藏

河北原产及习見栽培植物名录

ALIST OF NATIVE AND COMMON CULTIVATED FLANTS FROM HOPEI

GYMNOSPERMAE 裸子植物

Ginkgoaceae 銀杏科

Ginkgo biloba L. 銀杏，白果树

Pinaceae 松科

Abies nephrolepis (Trautv.) Mazim. 油葫蘆子 白果縱

Pices wilsonii Masters 青杆，刺儿松

(P. Mastersii Mayr)

(P. obovata non Ledeb.)

(P. obovata var. Schrenkiana non Fisch. et. Meyer)

(P. neoveitchii Masters)

Picea Meyeri Rehd. et Wils 罗汉松，云杉

(P. asperata non Mast.)

Larix Gmelini (Rupr.) Litw. var. Principis-Ruppre-chtii (Mayr) Pilg. 落叶松

(L. dahurica non Turcz.)

(L. sibirica non Ledeb.)

(L. dahurica var. P. Rehd. et Wils.)

Pinus Bungeana Zncc. 白皮松

Pinus taishanshanensis Hu et Yao

(P. Bungea[illegible] Carr.)

Pinus tabulaefo[illegible]

(P. Tokuna[illegible]

中科院植物所图书馆
S0002639

1478663

(P. sinensis non Lamb.)

(P. densiflora non S. et Z.)

(P. densiflora var. tabulaeformis Fortune)

(P. Thunbergii non Parl.)

(P. massoniana Bunge)

Cupressaceae 柏科

Biota orientalis (L.) Endl.

(Thuja or. L.)

Cupressus funebris Endl.

Juniperus formasana Hayata

Juniperus rigida S. et Z. 杜松，刺柏

Juuiperus squamata var. Meyeri Rebd. 翠柏

Juniperus chiuensis L.

Ephedraceae 麻黄科

Ephed-ra sinica Stapf 麻黄

(E. diastachya non L.)

Ephedra equisetina Bunge 木贼麻黄

ANGIOSPERMHE 被子植物

DICOTYLEDOAEAE 双子叶植物网

Chloranthaceae 金粟兰科

Chloranthus japonicus Siebold David 銀綫草

Salicaceae 楊柳科

Populus alba L. 白楊，銀白楊

Populus tomentosa Carr. 大叶楊，响楊，毛白楊

(P. alba non L.)

(P. euphratica non Oliv.)

(P. alba var. tomentosa Wesmael)

(P. alba var. denudata Maxim.)

(P. pekinensis L.)

Populus hopeiensis Hu et Chow 椴楊

(P. tomentosa X P. tremula var.)

Populus tremula L. var. Davidiana (Dode) Schneider 山楊

(P. tremula Franch. non L.)

(P. Davidiana Dode)

Populus Simonii Carr. 小叶楊, 河楊, 明楊

(P. balsamifera L. var. Simonii Wesmael)

f. fastigaiata Schneider 塔型河楊

Populus cathayana Rehd. 青楊, 小叶楊

P. suaveolens non Fisch.)

Populus Maximowiczii A. Henry 梧桐楊

Populus laurifolia Ledeb. 苦楊

(P. balsamifera L. var. laurifolia Wesmael)

Populus nigra L. var. italica Du Roi 黑楊, 箭桿楊, 美国楊

(P. pyramidalis Roz.)

(P. nigra L. var. sinensis Carr.)

Salix triandra L.

(S. amygoalina L. f. subdiscolor Debeaux)

Salix glandulosa Seem.

Salix babylonica L. 垂柳, 清明柳

(S. alba non Smith)

Salix Matsudana Koidz. 河柳

(S. jehelensis Nakai)

var. umbraculifera Rehd.

var. pendula Schneider

var. tortuosa Vilm.

Salix phylicifolia L. 山柳

var. sinensis Hand.-Mzt.
Salix characta Schneider
Salix pseudowoloholnsis Hao
Salix shansiensis Hao
Salix cathavana Diels
(S. longiflora Burkill non Andersa.)
Salix Caprea L. 黄花儿柳
var. subsessilis Hao
var. sinica Hao
var. dentata Hao
Salix viminalis L.
Salix shansiebsis Hao
Salix linearistipularis Hao
(S. purpurea var. stipularis Fr.)
Salix mongolica Siuzev 蒙古柳
Salix cheilophila Schneider 筐柳，刀柳
Salix Miyabeana Seemen
Salix purpurea L.
var. Smithiana Trautv.
Salix verophila Floderus
(S. Floderusii Nakai)
(S. Fl. var. glabra Nakai)
Salix melea Schneider

Juglandaceae 胡桃科

Juglans regia L. 胡桃，核桃
(J. regia var. sinensis C. DC.)
Juglans hopeiensis Hu 麻核桃，河北胡桃
(J. regia L. X J. mandshurica Maxim.)
Juglans manshurica Maxim. 核桃楸

Pterocarya stenoptera C. DC. 楓楊

Betulaceae 樺木科

Betula albo-sinensis Burkill 风樺，粉樺

(B. Ermani Hance)

var. septentriolis Schneider 臭樺

Betula costata Trautv. 鹿角樺，驴脚樺，碩樺

Betula chinensis Maxim. 杵榆，坚樺

(B. chinensis var. angusticarpa H. Winkl.

Betula fruticosa Pall.?

Betula dashurica (davurica) Pall. 千层樺

(B. verrucosa non Ehrh.)

Betula platyphylla Sukatachev

var. mandshurica (Regel) Hara 白樺，香樺

(B. alba L. var. mandshurica Fr., non Regel)

(B. japonica Sieb. var. mandshurica C. Winkl.)

(B. alba L. var. Tauschii non Regel)

(B. alba L. var. verrucosa Franch.)

(B. verrucosa non Ehrh)

Carpinus Turczaninowii Hance 見风乾，小叶鵝耳櫪，北耳櫪，王荆子，牛荆子

(C. Paxii Winkl.)

var. ovalifolia C. Winkl.

Carpinus Chowii Hu 周氏鵝耳櫪

Carpinus cordata Bl. 鵝耳櫪，千金榆

(C. erosa Bl.)

Ostrya Liana Hu 苗榆，轉角榆

Ostryopsis Davidiana Decne. 虎榛子，胡榛子

Corylus heterophylla Fisch. 平榛

Corylus maudshurica Maxim. 毛榛子

(C. rostaata non Ait.)

Fagaceae 山毛榉科

Castanea Bungeaua Bl. 栗板栗

(C. mollissima Seem.)

(C. sativa non Mill.)

(C. vesca uon Gaertn.)

Quercus acutissima Carr. 櫟

(Q. serrata non Thog.)

var. septentrionalis Liou

Quercus aliena Bl. 槲櫟

var. pellucida Bl.

(Q. aliena var. pekinensis Schottky)

var. acutiserrata Maxim.

(Q. acutidentata Koidz.)

f. calvesercens Rehd. et Wils.

Quercus mongolica Fisch. 青杏子

(Q. sessiliflora var. mongolica Fr.)

Quercus liaotungensis Koidz. 辽东櫟

Quercus dentata Thunb. 槲树

(Q. obovata Bge)

var. grandifolia Koidz.

Quercus variabilis Blume. 栓皮櫟

Ulmaceae 榆科

Ulmus macrocarpa Hance 大果榆，进榆

Ulmus laciniata (Trautv.) Mayer 裂叶榆，大叶榆

Ulmus propinqua Koidz. 春榆

(U. japonica Sarg.)

(U. campestris L. f. suberosa Fr.)

(U. Davidiana planch. var. japonica Nakai)

(U. campestris L. var. vulgaris Pl.

Ulmus Davidiana Planch. 黑榆

Ulmus pumila L. 榆树, 家榆

(U. mandshurica Nakai)

var. pendula Rehd. 龙爪榆

Ulmus glaucescens Franch. 灰榆

Ulmus parvifolia Jacq. 榔榆

Hemiptelea Davidii (Hance) Planch. 刺榆, 樞

(Planera Davidil Hance

(Zelkova Davidii Bth. et HK. f.)

Peteroceltis Tatarinowii Maxim. 檀树, 翼朴

Celtis Bungeana Bl. 朴树

(C. Davidiana Carr.)

Celtis labilis Schneider 黃果朴

Celtis koraiensis Nakai 大叶朴

Moraceae 桑科

Morus alba L. 桑, 家桑

var. Bungeana Bureau

var. romana Lodd.

Morus australis Poir. 鷄桑

(M. acidosa Griff.)

Morus mongolica (Bur.) Schneider 蒙桑

var. diabolica Koidz. 山桑

Morus cathayana Hemsl. 花桑

Broussonetia Papyrifera L'Herit. 构楮

Cudrania tricuspidata Carr. 柘树

(Vanieria tricuspidata (Carr.) Hu.

(Morus integrifolia Levl. et Van.,

Humulus japooicus S. et. Z. 葎草

Humulus Lupulus L. var. cordifolius Maxim 华忽布
Cannabis sativa L. 綫麻，大麻

Urticaceae 蕁麻科

Urtica angustifolia Fisch.
Urtica cannabina L. 蠍子草
Urtica laetevirens Maxim.
Labortea macrostachya (Maxim.) Onwi
(Sceptrochide m. Maxim.)
Girardinia cuspidata Wedd. 蠍子草
Pilea mongolica Wedd.
(P. pumila non (L.) A. Grav)
(Acalypha brachystachya Maxim. non Hornem.)
Boehmeria paraspicata Nakai
(B. spicata non Thunb.)
Boehmeria tuicuspis (Hance) Makino 赤麻
(B. japonica var. tuicuspis Hance
Boehmeria spicata Thunb. 伏麻
Parietaria micrantha Ledeb.
(P. debilis non L.)
(P. debilis var. micrantha Ledeb.) Wedd.)

Santalaceae 檀香科

Thesium chinense Turcz. 百蕊草，山胡麻
Thesium Longifolium Turcz.

Loranthaceae 槲寄生科

Loranthus europaeus L.
Viscum coloratum (Kom.) Nakai
(V. album non L.) 冻青，槲寄生

Auistolochiaceae 馬兜鈴科

Aristolochia contorta Bunge 茶叶包

Polygonaceae 蓼科

Rumex crispus L. 牛舌头颗，縐叶酸模
Rumex Patientia L. 巴天酸模
Rumex Hydrolanalhum Huds.
Rumex dentatus L. 酸模
Rumex amurensis Fu. Schmidt 阿穆尔酸模
Rumex callosus Rechinger
Rumex Marshallianus Reichenb.
Rumex Acetosa L. 遏藍菜，犁头草
Rheum Fuanzenbachii Muenter
(R. Emodi Franch. non Wall)
(R. Rhaponticum non L.)
Polygonum Aviculare L. 萹蓄，鳥蓼
var. vegetum Ledeb.
Polygonum plebeium R. Br. 习見蓼，鉄与齿莧
Polygonum suffultum maxim
var. pergracile (Hemsl.) Samuelss.
Polygonum viviparum L. 珠芽蓼，山高梁
Polygonum Bistorta L. 紫参，拳参
(Bistorta vulagrishi Hill)
Polygonum orientale L. 水葒
var. glabrescens Franch.
var. pilosum (Roxb.) Meisn.
Polygnum amphibium L. 两棲蓼
(Bersicaria am. S. F. Gray)
f. terrestre (Leers) Blake
Polygonum lapathifolium L. 酸模叶蓼，馬蓼
(Persicaria laph. S. F. Gray)
(Polygonum pytamidale Leveille)

var. salicifolium Sibth.

var. incanum (Roth) Reichenb.

Polygonum nodosum Pers. 大馬蓼，斑蓼

(P. lap. sap. nodosum (Pers.) Weinm.)

Polygonum barbatum L. var. gracile (Danser) Steward

Polygpnum Persicaria L.

Polygonum Hyduopipeu L. 水蓼

(Persicaria H. Spach)

Poly0onum minus Huds. 兔儿酸

Polygonum excuruens Steward

(Persicaria Makinoi Nakai)

(Persicaria brigonocarpa (M-ak.) Nakai)

Polygonum caespitosum Bl.

(P. Posumbu Ham.)

var. longisetum (De Bruyn) Steward

(P. longisetum De Bruyn)

(P. Blumei Meissn.)

Polygonum interruptum Bunge

Polygonum nepalense Meissn. 尼伯尔蓼

(P. alatum Ham.)

Perstcaria nepalense H. Cross)

Polygonum perfoliatum L. 貫叶蓼

(Persicaria peufoliata H. Gross)

Polygonum senticosum L. 刺蓼

(Persicaria senticosa H. Gross)

Polygonum Thunbergii S. et Z. 通氏蓼

(Persicaria Thunbergii H. Gross)

(P. arifollum non L.)

var. hastato-trilobum (Meisn.) Maxim.

(P. Peteropus Hance)

Polygonum Maaokianum Regel 馬氏蓼

(P. Thunbergii var. M. (Regel) Maxim)

Polygonum Bungeanum Turcz. 本氏蓼

(Persicaria B. Nakai)

P. Chanetii Leveille)

Polygonum sagittatum L. 箭叶蓼

Polygonium Convolvulns L. 蓼麦蔓，卷旋蓼

(Bilderdyckia Convolvulus Dumortier)

Polygonum dumetorum L.

(Bilderdyckis dumetoram Dumortier)

Polygonum dentato-alatum Fr.

(P. scandens non L.)

(P. scandens L. var. dentato-alatum Maxim.)

(Biderdykia scandens var. dentato-alata Nakai)

Polygonum pauciflorum Maxim.

Polygonum multiflorum Thunb. 何首烏

Polygonum angustifolium Pall.

(P. alpinum All.

(Pleuropteropynum jeholense Kitagawa)

var. salignum Ledeb.

(Persicaria alpina var. S. H. Gross)

Polygnoum divaricatum L. 叉分蓼

Polygonum sibiricvm Laxm. 西伯利亚蓼

(Pleuropteropyrum S. Kitagawa)

Polyonum tataricum L. 苦蕎麦，韃靼蓼

(Fagopyrum tataricum Gaertn.)

Polygonum Fagopyrum L. 蕎麦

(Fagopyrum esculentum Moench)
Polygonum cymosum Trevir.
(P. volubile Turcz.)
Peteroxygonum Giraldii Dammer
Atraphaxis manshurica Kitagawa
(A. Aucherii Samuslss. non Jaub. Spach)

Chenopodiaceae 藜科

Beta vulgaris L. 甜菜，糖蘿卜
Chenopodium Botrys L. 总状花藜
(Ch. ambrosoides non L.?)
(Teloxys foetida Kitagawa)
Chnopodium aristatum L. 刺穗藜
(Teloxys aristata (L.) Moq.)
Chanopodium glaucum L. 灰綠藜
Chenorodium hybridum L. 混种藜，杂种藜
Chenopodium acuminatum Willd. 尖头叶藜
Ch. ambrosiodes Hance, non L.)
var. virgatum Moq.
(f. virgatum (Moq.) Aellen)
var. ovatum Fenzl
(f. ovatum (Fenzl) Aellen)
var. japonicum Fr. et Sav.
Chenopodium Urbicum L.
Chenopodium album L.
Chenopodium strictum Roth
Chenopodium bryoniaefolium Bunge
(Ch. ficifolium Bunge)
(Ch. atripliciforme Murr.)
Chenopodium serotinum L.

(Ch. ficifolium Smith)

var. formosanum Murr.

Chenopodium koraiense Nakai

Spinacia oleracea L.

Striplex litoralis L. 濱藜

Atriplex oblongifolia Waldst. et Kitaib

(Chenopodium Ob. (W. et K.) Blom)

Atriplex tatarica L. 韃靼濱藜

Atriplex sibrica L. 西伯利亚濱藜

(Obione sibirica (L.) Fisch.)

Atriplex fera (L.) Bunge

Eurotia arborescens Losina-Losinskaja 优若藜

(E. ceratoides non C. A. Meyer)

Axyris amaranthoides L. 軸藜

Bassia dasyphylla (Fisch. et Meyer) O. Ktze. 东醬,砂蒿

(Echinopsilon divaricatum Kar. et Kir.)

(Chenolea divaricata Hook. f.)

Kochia scoparia (L.) Schrader 地肤

var. trichophylla Baill. 扫帚菜

var. alatha Blom

f. sanguinea Beck.

Corispermum declinatum Stephen

Corispermum tylocarpum Hance 虫实

(C. hyssopifolium non L.)

Corispermum puberulum Iljin

(C. hyssonifolium non L.)

(C. hyssopifolium L. var. lasiocarpum Blom ?)

Corispermum candelaprum Iljin

Corispermum cninganieum Iljin

Corispermum Radowskii Fisch.

Corispermum slongatum Bunge

Corispermum macrocarpum Bunge

Corispermum Stauntonii Moq.

Corispermum stepolepis Kitagawa

Agriophyllum arenarium Bieberst. 沙蓬

Salicornia herbacea L. 草草盐角，毒鬚

(S. fruticosa non L.)

Suaeda linifolia Pall.? ex Maxim.

Suseda glauce (Bunge) Bunge 硷蓬

(Schoberia gl. Bunge)

(Suaeda Stauaton Moq.)

Suaeda Heteroptera Kitagawa

(S. ussuriensis Iljin)

(S. maritima non L.)

(S. salsa non (L.) Pall.)

Salsola ruthenica Iljin 鉀叉明科

(S. Kali var. tenuifolia Fr. non Moq.

Salsola collina Pall. 猪毛菜

Salsola Komarovi Iljin 叉明科，岡羊栖菜

(S. Soda non L.)

Amaranthaceae 莧科

Amaranthus peniculatus L. 繁穗莧

Amaranthus retroflexus L. 西风古，反枝莧

Amaranthus gangeticus L.

Amaranthus albus L. 白莧

Amaranthus mangostanus L. 莧菜

Amaranthus Poxburghianus Kung

Amaranthus spinosus L.

Amaranthus Blitum L. 莧

(Eurolus Bl. Grenier)

Amaranthus ascendens Loisel. 野莧綠莧

(A. viridis non L.)

(A. lividus L. var. ascendens (Lois.) Thell.)

Achyranthe bidentata Bl. 牛膝

Nyctaginaceae 紫茉莉科

Mirabilis Jalapa L. 紫茉莉

Phytolacaceae 商陸科

Phytolaca acinosa Roxb. 商陸

(P. esculenta H. Walter, non Van Houtte)

(P. pekinensis Hance

Portulacaceae 馬齒莧科

Portulaca oleracea L. 馬齒莧

Caryophyllaceae 石竹科

Stellaria Bungeana Fenzl

Stellaria media L.) Cyr. 鷄腸菜

Stellaria chinensis Regel

Stellaria dichotoma L.

var. cordifolia Bunge

var. heterophylla Fenzl

Stellaria graminea L.

Stellaria brachypetala Bunge

Stellaria discolor Turcz.

Stellaria palustris Rhrh.

(St. Glauce With.)

Stellaria Alsine Grimm.

(S. uliginosa Murr.)

Stellaria Cherleriae (Fisch.) Williams

(St. viridiflora Pax et Hoffn.)
Stellaria wutaica Hand.-Mzt.
Pseudostellaria Davidii (Fr.) Pax
(Krascheninikowta Davidii Fr.)
Pseudostellaria rupestris (Turcs.) Pax
(Krasceninikowie rupestria Turcz.)
Pseudostellaria heterophylla (Miq) Pax
Spergularia medica G Der.
(Karascheninikowia H. Miq.)
Malachium aquaticum (L.) Friea
(Stellaria aquatica (L.) Scopoli)
Cerastium furcatum Cham. et Schlecht.
(C. Ciliatum Turcz.)
Cerastium caesptosum Gilib. 婆婆指甲菜
var. glandulosum Wirten
Cerastium Beeringirnum Chaml et Schlecht.
(C. Fischerianum Seringo var. B.)
(Cham. et (Schlecht) Hulten.)
(C. eimprichtii pax et Hoffm.
Cerastium Fischerianum Seringe 寄奴花
(C. alpinum L.)
Cerastium arvense L.
Cerastium sinicum Nakai
Sagina japonica (S w.) Ohwi
(S. maxima A. Gr.)
Arenaria juncea M.-B.
Arenaria tonsa Kitagawa
Areneria formosa Fisch.
(A. Gruenning Pax et Hoffm.)

Arenaria serpyllifolia L. 小无心菜
Moehringia lateriflora (L.) Fenzl
Spergularia salina J. et C. Presl
(S. meaia G. Don.)
Silene Tatarinowii Regel
f. albiflora (Er.) Kitagawa
(S. T. var. albiflora Fr.)
Silene koreana Kom.
(S. foliosa Franch.)
Silene oliganthella Makai
Silene jenissensis Willd.
(S. tenuis Turcz. var. b. Jenissea)
Silene repens Patr.
Lychnis Senno S. et Z.
Lychnis Bungeana (D. Don) Fisch.
Lychnis fulgens Fifch.
Lychnis cognata Maxim.
(P. fulgens var. cognata Mexim.)
Melandrium apricum (Turcz.) Rehrb.
(Silene aprica Turcz.)
Melandrium firmum (S. et Z.) Rohrb. 女娄菜,王不留行
Melandrium apetalum (L.) Fenzl
Gypsophila Licentiana H.-M. 絲石竹
(G. acutifolia non Fisch.)
(G. acutifolia var. chinensis Regel)
Gypsophila Oldhaminna Miq.
Gypsophila tchiliensis J. Krause
Vacceria pyramidata Medic. 麦藍菜
(Saponaria Vaccaria L.)

Dianthus chinensis L. 石竹
(D. Seguieri Chaix ?)
var. longisqkama Nakai et Kitagawa
Dianthus superbus L. 瞿麦，剪紅紗花
var. speciosus Reichenb.

Nymphaeaceae 睡蓮科
Nelumbo nucifera Gaertn. 荷花
(Nelumbium speciosum Willd.)
Euryale Serox Salisb. 芡，老鷄头
Nymphaea tetragona Georgi 睡蓮

Ceratoqhyllaceae 金魚藻科
Ceratophyllum demersum L. 金魚藻
var. pentacorne Kitagawa
Ceratophyllum submersum L. var. manschuricum Miki

Ranunculaceae 毛茛科
Paeonia lactiflora Pall. 芍药
(P. albiflora Pall.)
Paeonia obovata Maxim.
var. glabra Makino
Paeonia suffruticosa Audrews 牡丹
(P. Moutai Sima)
Trollius chinensis Bunge 金蓮花，金梅花
(T. asiaticus non L.)
Trollius Ledebourii Reichenb.
(T. asiaticus L. var. Ledebourii Maxim.)
Leptopyrum fumarioides (L.) Reicherb.
Actaea acuminata Wall.
(A. spicata non L.)
(A. erythrocarpa (Turcz) Fisch.)

Cimicifuga dahvurica (Turcz.) Maxim 升麻

Cimicifuga foetida L. 升麻, 雅脚七

Aquilegia viridiflora Pall. 小姜眞苗

(A. atropurpuree Hance, non Willd.)

Aquilegia oxysepala Trauty et Meyer 大姜眞苗

var. kansuensis Bruehl.

Aquilegia Yabeana Kitagawa

Delphinium siwenense Franch ?

(D. cheilanthum Fisch. var. chinense Franch,, non Regel)

Delphinium grandiflorum L. 翠雀花

var. tigridium Kitagawa

var. chinense (Fisch.) DC.

Aconitum albo violaceum Kom.

Aconitum excelsum Reichenb.

(A. leeve Ulbr,, non Royle)

(A. barbetum var. dissectum Ulbr., non (Tausch) Rapaic)

(A. sinomontanum Nakai)

Aconitum barbatum Pers. 牛扁

(A. Lycoctonum non L.)

(A. luteum Levl. et Van.

Aconitum umbrosum (Korshinsky) Kom.

Aconitum coreanum (Leyl.) Rap.

(A. Anthora non L. Ex Maxim.)

Aconitum baicalense Turcz.

Aconitum soongaricum (Regel) Stapf

(A. ochotense Franch.)

(A. Napellus non L.)

(A. ochotense var. caule)
(A. Jeholense Nakai)
(A. pulcherrimum Nakai)
Aconitum Kusnezoffii Reichenb. 草烏头
(A. wulingense Nakai)
Aconitum Tokii Nakai
Aconitum chinense Paxt.
(A. Fischeri non Reichenb.)
Adonis amurensis Regel et Radde
(A. vernalis non L.)
(A. apennina L. var. dahurica Ledeb.)
Adonis sibirice Patr. ex Ledeb.
Anemone silvestris L.
Anemone rivularis Buch.-Ham. ssp. barbulata (Turcz.) Ulbr. 草玉梅
(Anemone barbulata Turcz.
(Nanunculus Moellendorffii Hence.
(A. rivularis var. barbulata (Turcz.) Turcz. ex Fedtchenke)
Anemone obtusiloba D. Don ssp. Genuina Ulbr. var. coerulea Ulbr.
Anemone obtusiloba D. Don ssp. Micrantha (Klotsch) Ulbr.
Anemone elegane Decne. 秋牡丹
(A. japonica S. et Z., non Houtt.)
var. tomentosa (Maxim.) H.-M.
Anemone vitifolia Vuch-Ham. 野牡丹
(Eriocapitella v. (Ham.) Nakai)
Anemone demissa Hook. f. et Thoms.

Anemone ovalibolia (Beriihl) H.M.

A. demissa Hook. t. of Thoms.
var. glabrescnes Ulbr.
(A. narcissiflora L. var. chinensis Kitagawa)
(A. narcissiflora L. ssp. chinensis (Kitagawa) Kitagawa)

Actaea spicata L.

Pulsatilla chinensis (Bunge) Regel 白头翁, 毛头花, 毛女花
(Anemone chinensis Bunge)

Pulsatilla Turczaninovii Krylov et Serg.

Clematis heracleifolia DC. 木通, 草本女萎
var. Davidiana (Verlot) Franch.

Clematis aethusaefolia Turcz. 女萎

Clematis macropetala Ledeb. 四季牡丹
(C. ochotense (Pall.) Poir.)
(C. alpina var. macropetala Maxim.)
(Atragenem. Ledeb.)

Clematis platysepala (Trauty et Meyer) H.-M.
(Cl. alpina (L.) Mill. var. chinensis Maxim.

Clemetis fruticosa Turcz. 直立鉄綫蓮

Clematis hexapetala Pall. 山蓼
(Clematis angustifolia Jacq.)

Clematis terniflora DC.
(C. mandshurica Rupr.)
(C. recta L. var. m. (Rupr.) Maxim.)

Clematis Kirilowi Maxim.
(Cl. Massoniana Maxim., non. DC.)
var. Chanetii (Levl.) H.-M.
(Cl. Chanetii Levl.)

?Cl. brachyura Maxim.

Clematis acerifolia Maxim. 槭叶鉄綫蓮

Clematis brevicaudata DC. 短尾鉄綫蓮

Clematis Tatarinowii Maxim.

Clematis grata Wall.

Clematis pinnata Maxim.

Clematis glauca Willd. 大蓼

(Clematis orientalis Maxim., non L.)

var. angustifolia Ledeb.

(Cl. intricata Bunge)

(Cl. orientalis var. intricata (Bge.) Maxim.)

Clematis nutans Royle ?

Ranunculus monophyllos Ovcz.

Ranunculus pulchellus C. A. Meyer

Ranunculus Brotherusi Freyn

Ranunculus sceleratus L. 石龙芮

Ranunculus acris L. ("acer") 毛莨

Ranunculus propinquus C. A. Meyer

(R. acris L. var. japonicus Maxim.)

Ranunculus chinensis Bunge 回回蒜

(R. pennsylvanicus non L. f. Shishan, Read)

(R. ternatus non Thunb.)

(R. pennsylvanicus L. f. var. chinensis (Bunge) Maxim.)

Ranunculus cantoniensis (Lour.) DC.

(R. japonicus Langed. non Thunb.)

Ranunculus repens L. var. brevistyla Maxim.

Ranunculus Vernyi Franch.

(R. ternatus Thunb.)

(R. pensylvanicus L. f. var. japonica Maxim.)

Halerpestes sarmentosa (Adams) Komarov 水葫蘆苗

(Ranunculus Cymbalaria non DC.)

(R. salasuginosus Pall.)

(R. Cymbalariae DC. cum var. major et var. alpinus HK. f. et Thoms.)

(Oxygraphis subsimilis printz.)

Halerpestes ruthenica (Jacq.) Ovcz.

(Ranunculus ruthenicus Jacq.)

(R. plantaginifolius Murray)

(R. salsuginosus Geogli)

(Oxygraphis plantaginifolia Pranii)

Batrachium circinatum (Sibth.) Spach

(Ranunculus C. Sibth.)

Batrachium trichophyllum (Chaix) Van den Bossche 梅花藻

(Ranunculus trichophyllus Chaix)

(R. aquatilis non L.)

(R. flaccidus Pers.)

(R. hydrophilus Bunge)

(R. hydrocharis Spenner f. Bungei Hiern)

(R. rivularis non Banks et Soland.)

(R. trichophyllus Chaix var. Chanetii Levl.)

(R. aquatilis var. capillaceus DC. ?)

Thalictrum baicalense Turcz.

Thalictrum macrorrhynchum Franch.

Thalictrum Przewalskii Maxim.

Thalictrum petaloideum L.

(T. leuconotum Ulbr.)

(T. supradecompositum Nakai)

(T. P. var. supradecompositum (Nakai) Kitagawa)

Thalictrum alpinum L.

Thalictrum tenue Franch.

Thalictrum foetidum L.

Thalictrum squarrosum Steph.

Thalictrum Thunbergii DC.

Thalictrum Purdomii J. J. Ciarke.

Thalictrum simplex L.

(T. flavum non L.)

Thalictrum Thunbergii DC.

(T. minus non L.)

Thalictrum foeniculaceum Bunge

(Isopyrum trichophyllum Lévl.)

Thalictrum aquilegifolium L. var. asiaticum Nakai

Adonis amurensis Regel & Radde 側金盞花

Berberidaceae 小蘗科

*Nandina domestica Thunb. 南天竹

Berberis amurensis Rupr. 黄蘆木, 蘗木

(B. vulgaris non L.)

(B. Bretachneideri Rehd.)

(B. amurensis Rupr. var. Bretachneideri (Rehd.) Hara)

Berberis poiretii Schneider 針雀, 酸醋柳

(B. sinensis Poir. non Desf.)

(B. sinensis var. Bangustifolia Regel)

(B. Poiretii var. angustifolia (Regel) Nakai)

(B. Poiretii f. weichangensis Schneider)

Berberis sibirica Pall.

(B. borealisinensis Nakai.)

Caulophyllum robustum Maxim.

Magnoliaceae 木兰科

*Magnolia denudata Deer. 玉兰, 木兰

Schizandra chinensis (Turcz.) Baill. 北五味子

(S. chin. var. typica Nakai)

(Kadzura chinensis Turcz.)

Menispermaceae 防已科

Cocculus trilobus (Thunb.) DC. 青藤，木防已

Menispermum davuricum DC. 蝙蝠藤

Papaveraceae 罌粟科

*Papaver somniferum L. 罌粟

Papaver nudicaule L. ssp. rubro-aurantiacum (DC.) Fedde var. chinense (Regel) Fedde 山大烟

(P. alpinum non L.)

(P. alpinum L. var. croceum Bunge.)

Chelidonum majus L. 白屈菜，地黄連

(var. vulgare Ledeb.)

var. grandiflorum DC.

Hypecoum chinense Franch. 角茴香

Hypecoum erectum L.

(Chiazospermum er. Bernbh)

Dicentra spectabilis (L.) Lem. 荷包牡丹

Corydalis Turtscheninovii Besser

(C. remota Fisch. var. genuina Maxim.)

(C. solida Franch. non Smith)

(C. bulbosa Franch.)

Corydalis bulbosa DC. 延胡索

(C. gamosepala Maxim.)

Corydalis pauciflora (Steph.) Pers.

(C. parviflora Pers. (sphalmate) var. alaschanica Maxim.)

(C. hsiaowutaishanensis Wang.)

Corydalis decunbens (Thunb.) Pers.
Corydalis Bungeana Turcz 紫堇
(C. Bungeana Turcz. var. odontopetala Hemsl
Corydalis Impatiens (Pall.) Fisch.
Corydalis ochotensis Turcz.
(C. Raddeana Regel)
Corydalis pallida (Thunb.) Pers. 黄堇
Corydalis speciosa Maxim.
Corydalis Chanetii Levl.

Cruciferae 十字花科
*Brassica oleracea L. 洋白菜
var. capitata L.
var. botrytis L.
var. gongylodes L.
*Brassica alboglabra L. H. Bailey 芥菜
*Brassica chinensis L. 小白菜
Braya heterophylla W. W. Smith.
var. oleifera Makino.
*Brassica Rapa L.
*Brassica juncea (L.) Czernjaew et Cosson 芥
var. napiformis Paillieux et Bois
*Brassica pekinensis Rupr. 大白菜, 白菜
(B. cernua non Thunb.)
Eruca sativa Garsault.
*Raphanus sativus L. 蘿卜
Orychophragmus violaceus (L.) O. E. Schulz 諸葛菜, 二月兰
(Brassica violacea L.)
(Orychophyragmus sonchifolium Bunge)

(Moricandia s. Hook. f.)

var. r. intermedius (Pamp.) O.E. Schulz.

Lepidium latifolium L. 羊辣辣

var. affine O. A. Meyer.

(L. affine Ledeb.)

(L. latifolium L. ssp. affine (C. A. meyer) Kitagawa)

Lepidium apetalum Willd. 辣辣菜, 独行菜

(L. ruderale Hemsl., non L.)

(L. incisum Franch., non Roth)

(L. chitungense A. P. Jacot)

Lepidium chinense Franch.

(B. tcheliensis Debeaux)

Thlaspi arvense L. 犁头菜, 遏藍菜

Capsella Bursa-pastoris (L.) Medic. 薺菜

var. integrifolia DC.

Cardamine tangutorum O. E. Schulz 石芥菜

(C. macrophylla non Willd.)

Cardamine leucantha (Tausch) O. E. Schulz.

(Dentaria L. Tausch)

Cardamine hirsuta L. 碎米薺

Cardamine parviflora L. var. hispida Franch.

(C. P. f. hispida Franch.)

(C. P. prol. hispida (Franch.) Schulz)

Cardamine lyrata Bunge 水田芥

Cardamine pratensis L.

Cardamine ? scaposa Franch.

Draba mongolica Turcz. var. trichocarpa O.E. Schulz.

Draba lanceolata Royle var. brachyacrpa O.E. Schulz.

var. leiocarpa O. E. Schulz.

Drabe Ladyginii Pohle.

(D. incana Maxim., non L.)

Draba nemorosa L. var. leiocarpa Lindberg 葶藶

Draba erippoda Turcz. var. sinensis Maxim.

Arabis pendula L.

(A. Charbonnelii Levl. ?)

(A. ambigua DC)

Arabis hirsuta (L.) Scop.

Arabis Stelleri DC.

Arabis oxyota DC. ? 筷子芥菜

Arabis Chanetii Levl.

Nasturtium officinale R. Br. 水田芥，豆瓣菜，西洋菜

Rorippa palustris (Leysser) Besser 水蘿卜，风花菜

(Nasturtium paluster (L.) DC.)

(N. amphibium Maxim., non R. Br.)

(N. palustre f. B. longipes Franch.)

Rorippa globosa (Turcz.) Thell. 銀条菜

(Camelina austriaca Bunge, non R. Br.)

(Nasturtium austriacum Hemsl,, non Crantz)

Rorippa montana (Wall.) Small 蔊菜

(Nasturtium m. Wall.)

Rorippa cantoniensis (Lour.) Ohwi.

(Nasturtium microspermum DC.)

Dontostemon integrifolius (L.) C. A. Meyer.

Dontostemon micranthus C. A. Meyer.

Dontostemon dentatus (Bunge) Ledeb.

(Andreoskia dentata Bunge)

Chorispora sibirica (L.) DC. 辣辣菜

Chorispora tenella (Pall.) DC.
Hesperis trichosepala Turcz.
(Cheiranthus apricus Steven var. trichosepalus Franch.)
(Hesperis Limprichtii O. E. Schulz)
(H. L. O. E. Schulz var. violacea D. E. Schulz)
Hesperis oreophila Kitagawa.
(H. matronalis L. var. sibirica non (L.) DC.)
Erysimum aurantiacum (Bunge) Maxim. 假桂竹香
(Cheiranthus a. Bunge)
Erysimum hieracifolium L.
Erysimum cheiranthoides L.
Erysimum macilentum Bunge.
Erysimum ochroleucum DC.
Erysimum sinuatum (Franch.) Hand.-Mzt.
Eutrema compactum O. E. Schulz.
(E. Edwardsii Maxim.)
Sisymbrium luteum (Maxim.) O. E. Schulz.
(Hesperis lutea Maxim.)
Sisymbrium heteromallum C. A. Meyer.
var. sinense O. E. Schulz
var. dahuricum (Turcz.)
Sisymbrium Irio L. 水芥菜
Berteroella Maximowiczii (Palibin) O.E. Schulz.
(Sisymbrium M. Palibin)
Torularia humilis (C. A. Meyer) O.F. Schulz.
(Sisymbrium humile C. A. Meyer)
(S. stigmatosum Franch)
Erysimum sigmatosum Franch.
Thellungiella salsuginea (Pall.) O.E. Schulz.

(Sisymbrium salsugineum Pallas)

Descurainia Sophia (L.) Webb.

(Sisymbrium S.L.)

Capparidaceae 白花菜科

Gynandropsis gynandra (L.) Briq. 白花菜

(G. viscida Bunge)

(G. pentaphylla DC.)

Crassulaceae 景天科

Sedum dumulosum Franch.

(S. rariflorum N. E. Brown)

var. Rendlei (Hamet) Froederstr.

Sedum roseum L.

Sedum algidum Ledeb. var. tanguticum Maxim.

Sedum Kirilowii Regel et Tiling.

(Rhodiola K. Regel)

Sedum spectabile Bureau

(S. Telephium L. ssp. alboroseum Baker)

Sedum Telephium L. var. purpureum L.

(S. purpureum Link)

Sedum Tatarinowii Maxim.

Sedum Aizoon L. 土三七

var. scarbrum Maxim.

f. angustifolia Franch.

Sedum Selskianum Regel et Maack.

Sedum kantshaticum Fisch. et Meyer 費菜，金不換

(S. Aizoon ssp. K. Fisch.)

Sedum hybrium L. var. glabcrrimum Kitagawa.

Sedum sarmentosum Bunge 垂盆草，野馬齿莧

Sedum drymarioides Hance.

var. stellariaefolium (Franch.) Hamet 佛甲菜，
卧儿菜

(S. stell. Franch.)

Sedum austromanshuricum Nakai et Kitagawa.

Sedum wulingense (Nakai) Kitagawa

Orostachys fimbriatus (Turcz) A. Berger 瓦松，瓦塔

(Cotyledon fimbriata Turcz.)

(Sedum f. Franch.)

(Umbilicus ramosissimus Maxim.)

(Cotyledon spinosa non L.)

var. Chanetii (Levl.)

(Sedum Chanetii Levl.)

(S. fimbriatum var. Chanetii (Levl.) Froederstr.)

var. ramosissimus (Maxim.) A. Berger

(S. fimbriatum var. r. (Maxim.) Froederstr.

Orostachys malacophyllus (Pall.) Fisch. 屋游，石蓮华

(Sedum m. Pall.)

Orostachys japonica (Maxi) Berger.

Penthorum chinense Pursh 扯根菜

(P. sedoides non L.)

(P. intermedium Turcz.)

Saxifragaceae 虎耳草科

Astilbe chinensis (Maxim.) Franch. et Sav. 落新妇

(Hoteiach. Maxim.)

(Astilbe Davidii (French.) Henry)

Saxifraga Limprichtii Engl. et Irmsch.

(S. serpyllifolia pursh var. Pallasiana Hance non Sternb.)

(S. unguiculata Engl. B. auctiflora Maxim. non

Engl.)

Saxifraga sibirica L.

var. Pekinensis (Maxim.) Engl. et Irmsch.

(S. Pekinensis Maxim)

var. Schindleri Engl. et Irmsch.

Saxifraga carnua L.

f. simpliciasima Ledeb.

f. ramosa Gmelin.

Saxifraga sarmentosa L. f.

Chrysosplcnium alternifolium L. 貓儿眼睛草

var. B. japonicum Maxim.

Chrysosplenium Serreanum Hand.-Mzt.

Chrysosplenium villosum Franch.

Chrysospicnium sphaerospermum Maxim.

Oresitrophe rupifraga Bunge 独根草

Parnassia palustris L. 梅花草

Parnassia oreophila Hance

Parnassia sutchuensis Brieger, non Franch.

Philadelphus pekinensis Rupr. 太平花，京山梅花

(P. Coronarius L. var. pekinensis Maxim.)

(P. Coronarius non L. Trapp.)

(Deutzia Chanetii Levl.)

Deutzia grandiflora Bunge 嬌嬌柴，迷迷香

var. B. minor Maxim.

var. glabrata Maxim.

(D. grandiflora Bunge var. Baroniana (Diels) Rehd.)

Deutzia parviflora Bunge 小花溲疏，千层皮

var. typica Repel.

Deutzia prunifolia Rehd. 溲疏

(D. parviflora Cowdry, non Bunge)

Hydrangea Bretschneider Dippel 八仙花，柏氏綉球花

(H. vestita non Wall.)

(H. pekinensis Hort.)

(H. vestita Wall. var. pubescens Maxim.)

(H. vestita Wall. var. pekinensis Maxim.)

var. glabrescens Rehd.

Ribes bureiense F. Schmidt 刺儿李

(R. macrocalyx Hance)

Ribes pauciflorum Turcz.

Ribes mandshuricum (maxim.) Komarov 鶗哥胡桃

(R. multiflorum Kit. var. mandshuricum Maxim.)

(R. petraeum Wulf var. mongolicum Franch.)

var. subglabrum Komarov.

Ribes Meyeri Maxim.

Ribes emodense Wall. var. verruculosum Rehd.

Ribes latiolium Jancz.

Ribes Komarovii A. Rojarkova

Ribes pachyadenium (Hand.-Mzt.) Hand.-Mzt.

Ribes pulchellum Turcz.

Ribes fasciculatum S. et Z. var. chinense Maxim. 藪山樝子

Calycanthaceae 蜡梅科

chimonanthus praecox (L.) Link 蜡梅

(Meratis pratcox (L.) Rehd. et Wils.)

Rosaceae 薔薇科

Physocarpus amurensis (Maxim.) Maxim.

Spiraea hypericifolia L.

Spiraea chamaedry ("i") folia L.

var. ulmifolia Maxim.

Spiraea trilobata L. 圆叶綉球，三桠綉球
Spiraea pubescens Turcz. 毛叶綉綫菊，石硼子
(Speraea Media non Schmidt)
(Sp. media var. serices non Regel)
var. glabrescens Kitagawa.
Spiraea dasyantha Bunge 絮藍柴
Spiraea Eritschiana Schneider
Sorbaria sorbifolia non Al. Braun.
Sorbaria Kirilowii (Regel et Tiling) Bataling 珍珠梅，珍珠花
Sorbaria Kirilowii (Regel et Tiling) Maxim.
(Spiraea K. Regel et Tiling)
Cotoneaster acutifolia Turcz.
(Coton. acutifolia var. Pekinensis Koehne)
(C. Pekinensis Zabel)
Cotoneaster racenublora (Desf) K. Koch var. soongarica (Kegl) Scln.
Cotoneaster melanocarpa Loddiges.
Cotoneaster multiflora Bunge 栒子木
Pyrus ussuriensis Maxim.
var. ovoidea (Rehd.) Rehd.
Pyrus Bretschneideri Rehd. 白梨
Pyrus pyrifolia (Burm.) Nakai 沙梨，梨
(P. serotina Rehd.)
Pyrus phaeocarpa Rehd. 褐梨
Pyrus betulaefolia Bunge 杜梨
Pyrus rufa Nakai.
var. hort. Paili.
Malus pumila Mill. 苹果
Malus prunifolia (Willd.) Borkh. var. Rinki (Koidz.)

Rehd.

Malus spectabilis (Ait.) Borkh. 海棠，海紅

Malus micromalus Makino.

Malus baccata (L.) Borkh. 山荊子

var. mandshurica (Maxim.) Schneider 辽山荊子

Malus robusta Rehd.

Sorbus pohuashanenis (Hance) Hedlund 紅果臭山槐

(Pirus aucuparia non Gaertn.)

Sorbus discolor (Maxim.) Hedlund 白果臭山槐

(S. pekinensis Koehne)

Sorbus alnifolia (S. et Z.) K. Koch 花楸

var. tiliaefolia (Decne.) Hisauti

Chaenomeles sinensis Koehne

(P. japonica non Thunb.)

Crataegus pinnatifida Bunge 山樝，北山樝

var. major N. E. Brown 山里紅，紅果，榅桲

(C. Bretscheniderі Schneider)

(C. Korolkowii Schneider, non Henry)

var. jeholensis Schneider

(Crataegus biloba non Levl.)

(C. Chantcha Levl.)

Crataegus sanguinea Pall.

Crataegus Kansuensis Wilrok.

Rubus saxatilis L.

Rubus coechorifolius L. F. 悬鈎子，山藨子

Rubus crataegifolius Bunge 牛迭肚

var. morifolius Bieb.

Rubus parvifolius L. 潑盘，复盆子

var. triphyllus (Thunb.) Nakai.

(R. purpureus Bunge)

(R. phoenicolasius Maxim.?)

Rubus Idaeus L. 复盆子

var. microphyllus Turcz.

Rubus pekinensis Focke.

Fragaria corymbosa Losina-Losinskaja 地薕子，草荔枝

Duchesnea indica (Andr.) Focke 蛇莓

Potentilla arbuscuia D. Don.

(P. fruticosa non L.)

Potentilla glabra Iodd.

(P. Veitchii non Wilson)

(Dasiphora f. (L.) Rydberg var. glabra (Lodd.) Nakai.)

var. mandshurica (Maxim.) Hand.-Mzt.

Potentilla davurica Nestler.

Potentilla bifurca L. 二裂叶委陵菜

var. glabrata Lehmann

Potentilla ancistrifolia Bunge.

var. Dickinisii (Franch.) Koidz.

(P. Dickinsii Franch.)

Potentlla conferta Bunge

(P. sibirica Th. Wolf non Patr.)

Potentilla multicaulis Bunge

(P. sericea non L.)

(P. sericea L. var. multicaulis (Bunge) Lehmann)

Potentilla ornithopoda Tausch.

(P. multifida L. var. C. (Tauach) Th. Wolf)

Potentilla nivea L.

Poetentilla oetonicaefolia Poir.

Potentilla chinensis Ser. 委陵菜

(P. pensylvanica non L.)

(P. exalata Bunge)

ssp. trigonodonta Hand.-Mzt.

Potentilla verticillaris Stephan.

Potentilla sischanensis Bunge.

(P. songarica Bunge B. chinensis Bunge)

Potentilla discolor Bunge 翻白草，鷄腿儿

Potentilla tanacetifolia Willd.

Potentilla viscosa J. Donn.

Potentilla tanacetifolia Willd. var. decumbens Th. Wolf 金灯

Potentilla paradoxa Nutt.

(P. supina non L.)

Potentilla amurensis Maxim.

Potentilla Kleiniana Wight et Arn.

Potentilla subacaulis L.

Botentilla fragarioides L.

Potentilla Freyniana Bornm.

Potentilla flagellaris Willd. 鷄儿头苗

(P. reptans non L.)

Potentilla simulatrix Th. Wolf.

Potentilla Hemsleyana Th. Wolf.

Potenitlla anserina L. 翻白花，蓮菜花

Chamaerhodos erecta (L.) Bunge 茵陈狠牙，直立地薔薇

(C. micrantha J. Krausi

Chamaerhodos canescens J. Krause 地薔薇

(C. grandiflora Yabe non Bunge)

(Ch. corymbosa Muraw.)

Chamaerhodos trifida Ledeb.?

Geum aleppicum Jacq. 水楊梅

(G. strictum Ait.)

Filipendula palmata (Pall.) Maxim.

(Spiraea P. Pall.)

Filipendula angustiloba (Turcz.) Maxim. 合叶子

(Spiraea a. Turcz.)

Agrimonia pilosa Ledeb. var. japonica (Mig.) Nakai 龙牙草

(A. Eupatoria non L.)

(A. viscidula Bge.)

Sanguisorba tenuifolia Fisch.

S. officinalis L. 地榆，蒙古枣

(Poterium off. Benth.)

var. carnea (Fisch.) Regel. ex Maxim.

(S. carnea Fisch.)

var. microcephala Kitagawa.

var. montana Focke

*Rosa multiflora Thunb. 薔薇

var. calva Fr. & Sav.?

*R. Banksiae R. Br.

var. normalis Regel 木香

var. lutea Lindl. 黃木香

*R. chinensis Jacg. 月季

var. semperflorens (Curtiss) Koch.

*Rosa rugosa Thunb. 玫瑰

var. Chamissoniana C.A. Meyer.

(var. floribus-plenis Fr.)

Rosa davurica Pall.

R. bella R. et W 山刺玫

R. Sweginzowii Koehne

(R. macrophylla non Lindl.)
(R. macrophylla Lindl. var. *α* mongolica Fr.)
R. Moyesii Hemsl. et Wils.
*R. xanthina Lindl. 黃刺玫
(R. pimpinellifolia Bge. non L.)
R. Maximowicziana Regel
var. Jackii (Rehd.) Rehd.
R. Przawalski Hort.?
Prunus Pseudocerasus Lindl. 櫻桃
(P. pauciflora Bunge)
P. serrulata Lindl.
var. pubescens Wils. 山櫻桃，替桃
P. dictyoneura Diels.
P. humilis Bunge 欧李
(P. Bungei Walp.)
P. tomentosa Thunb. 山豆子，毛櫻桃，櫻桃
var. trichocarpa (Bge.) Koehne.
(P. trichocarpa Bge.)
*P. triloba Lindl. 榆叶梅
(Amygdalus pedunculata Bge., non Pall.)
var. Petzoldii (K.Koch) Bail. 兰芝，榆叶梅
P. pilosa (Turcz.) Maxim. 山櫻桃
P. Davidiana (Carr.) Franch. 山桃 "Schan-tao"
P. Persica (L.) Batsch 桃
P. salicina Lindl. 李，王黃李
(P. communis Mx. non Hud.)
*P. Simonii Carr. 紅李
*P. mume S. et Z. 梅

P. sibiricu L.

P. Armeniacas L. 杏

var. Ansu Marim. 山杏

(P. Ansu Komarov)

(Armeniaca Davidiana Carr.)

P. Padus L. 夜合，臭山荆子，稠李

var. glauca Nakai

var. pubescens Regel

(var. Purdomii [Koehne] Rehd.)

P. yedoensis Matsum. 日本樱花

Leguminosae (146, 147, 148) 豆科

(A. Mimosaceae [146] 含羞草科)

Albizzia Kalkora (Roxb.) Prain 山槐

(Acacia macrophylla Bge.)

(Albizzia Lebbek non Benth.——Bretschneider)

*A. julibrissin Durazzini 合欢，絨花树

*Cercis chinensis Bge. 紫荆

Cassia Hochstetteri Chesg.

C. mimosoides L. 山扁豆

var. Nomame (Sieb.) Makino

var. dimidiata (Roxb.) Baker.

C. nictitans L.

*C. occidentalis L. 羊角豆，望江南

C. Sophera L.

C. Tora L. 决明

Gleditschia sinensis Lam. 皂角，皂荚。Bunge

G. horrida (Thbg.) Makino 山皂角

(G. japonica Mig.)

(Gymnocladus Williamsii Hce.)

G. heterophylla Bge. 野皂荚

Sophora japonica L. 槐

forma oligophylla Fr. 五叶槐

forma pubescens (Tausch) Bosse 紫花槐

forma pendula Hort. 龙爪槐

S. flavescens Ait. 苦参，山槐子

(S. Kronei Hance)

S. viciifolia Hance 白刺花

Thermopsis Licentiana Peter-Stibal.

(T. alpina Fr. non [Pall.] Ledeb.)

T. lanceolata R. Br. 苦豆根

Crotalaria albida Heyne.

C. sessiliflora L. 野百合

C. linifolia L. F.

*Trifolium repens L. 白花翘摇

T. Lupinaster L.

Melilotus dentatus (W. et K.) Pers.

M. altissimus Thuill. F. palüster (Waldst. et Kitaibel) O. E. Schulz.

(M. palustris Kit. in DC., Kantai, Bunge)

M. albus (L.) Desr. in Lamk.

M. suaveolens Ledeb. 草木犀

(M. graveolens Bunge)

M. indicus (L.) Allioni

M. parviflora L.

Medicago falcata L.

M. pekinensis Vass.

(M. beipinensis Vass.)

M. sativa L. 苜蓿

M. lupulina L. 天藍

M. ruthenica (L.) Trautv.

(Trigonolla ruthenica L.)

Lotus corniculatus L. 百脉根

var. heterophyllarius Peter-Stibal.

var. japonicus Regel

Amorpha fruticosa L. 穗花槐，紫翠槐

Indigofera Kirilowii Maxim. ex Palibin 长穗木藍

(I. macrostachya Bunge non Vent.)

(I. tinctoria Fr.?)

I. Bungeana Walp. 或 Steud. 野藍枝子

(I. micrantha Bunge).

(I. pseudotinctoria Chung, non Matsum 馬棘)

Wistaria sinensis (Sims) Sweet 紫藤，藤蘿

(W. chinensis Bunge, non DC.)

W. villosa Rehd.

(W. venusta Rehd. & Wils.)

Glycyrrhiza pallidiflora Maxim.

(G. echinata non L.)

G. uralensis Fisch. 甘草

G. sguamulosa Fr.

(Astragalus glandualiferus Debx.)

(G. glandulifera non Wald et Kit.)

Swainsona salsula (Pall.) Taubert 苦馬豆

(Sphaerophysa salsula DC.)

Caragana sinica (Buchoz) Rehd.

(C. chamlagu Lam.)

(C. chinensis Turcz.)

C. rosea Turcz. 錦鷄儿

(C. frutex Chung non Koch)

(C. frutescens Fr. Hce. non DC.)

C. Leveillei Komarov

C. frutex (L.) Koch (?)

var. latifolia C. K. Schneider

C. pygmaea (L.) DC. (?)

C. jubata (Pall.) Poir. 鬼見愁

C. arborescens (Amm.) Lamk.

C. Zahlbrücknerii C. K. Schneider

C. Pekinensis Komarov

(C. microphylla non Lamk.)

C. microphylla Lamk.

(C. arborescens var. viridis Komarov)

C. Potanini Komarov

Amblyotropis multiflora (Bge.) Kitagawa 大米口袋

(Gueldengtaedtia multiflora Bge.)

(? = G. Harmsii non Vlbr.)

A. pauciflora (Pall.) kitagawa 小米口袋

A. stenophylla (Bge.) Kitagawa

? = Gueldenstaedtia Giraldii Harms

Astragalus capillipes Fisch.

A. Laxmanni Jacq. var. adsurgens (Pall.) Kitagawa

(A. adsurgens Pall.)

var. paucijugus Peter-Stib.

A. tataricus Franch.

A. chrysopterus Bge. var. wutaicus H.-M.

A. davuricus (Pall.) DC.

A. Hancockii Bunge

(A. saxicola Ulbr.)

A. mongholicus Bunge.

A. membranaceus (Fisch.) Bunge 黄芪，黄耆

A. moellendorffii Bunge.

(A. aksuensis Ulbr. non Bunge)

A. sciadophorus Fr.

A. chinensis L. f.

A. complanatus R. Brown.

(Phyllolobium chinense Fisch.)

(Astragalus pratensis Ulbr.)

Tatarinow (定名为 A. oliganthus Horan.)

A. discolor Bunge.

A. scaberrimus Bunge 满洲紫花地丁(药)，粗糙翘摇 (Gee)

A. Nagaii Nakai.

Oxytropis coerulea (Pall.) DC.

(O. mandshurica Bge.)

(O. subfalcata Hce.)

O. strobilacea Bge.

(O. uralensis Ulbr. non [L.] Pall.)

O. Moellendorffii Bge.

(O. Limprichtii Ulbr.)

(O. sylin chanensis Fr.)

O. leptophylla (Pall.) DC.

O. hirta Bge.

O. ochrantha Turcz.

O. bicolor Bge.

(O. uratensis Franch.)

(O. elegans Komaror)

O. trichophora Franch. 地角儿苗

O. psammocharis Hce. 砂棘豆

(O. oxyphylla non (Pall.) DC.)

O. myriophylla (Pall.) DC.

O. aciphylla Ledeb.

Campylotropis macrocarpa (Bge.) Rehd. 杭子梢

(Lespedeza macrocarpa Bunge)

(C. chinensis Bge.)

C. Giraldii (Schindler) Schindler.

Kummerowia striata (Thbg.) Schindl. 鷄眼草

Kummerowia stipulacea (Maxim.) Makino.

Lespedeza bicolor Turcz. 胡枝子

var. Tatarinowii Schindl.

(var. affinis Maxim.)

var. Japonica Nakai

(Cum var. typica Maxim.——David)

L. floribunda Bge.

L. cuneata (Dum.-Cours.) G. Don 鉄扫帚

(L. sericea [Thbg.] Mig. non Benth.)

L. Caraganae Bge.

L. inschanica (Maxim.) Schindl. 白指甲花, 野苜蓿 (Skatschkow)

(L.juncea Pers. var. inschanica Maxim.)

L. hedysaroides (Pall.) Kitagawa.

(L. juncea [L. f.] Pers.)

L. juncea var. juncea Pers., Bushell, Tatarinow)

L. davurica (Laxm.) Schindl.

(L. medicaginoides Bge.)

(L. trichocarpa Pers.)

L. virgata (Thbg.) DC.

L. tomentosa (Thbg.) Sieb. 白花胡枝

(L. macrophylla Bge.)

L. ionocalyx Nakai.

L. formosa (vog.) Koehne.

Hedysarum inundatum Turcz.

(H. obscurum non L.)

(H. obscurum var. inund. (Turcz.) Fedt.)

H. laeve Maxim.

H. multijugum Maxim.

H. brachypterum Bge.

Aesehynomene indica L. 合萌

*Arachis hypogaea L. 落花生

Vicia unijuga A. Br. 歪头菜

var. ciliata Lévl.

V. pseudo-Orobus Fisch. et Mey.

V. gigantea Bge.

V. sativa L. 大巢菜, 野豌豆

V. Bungei Ohwi 野豌豆

V. megalotropis Ledeb. f. stenophylla Fr.

V. Cracca L. 草藤

V. Kioshanica Bailey.

V. amoena Fisch. 透骨草 (葯)

var. oblongifolia Regel.

*V. Faba L. 蚕豆

*Cicer arietinum L. 鹰咀豆

*Lens culinaris Medik.

(Lens esculenta Moench)

Lathyrus humils Fisch.

L. Davidii Hce. 茳芒決明

L. japonicus Willd. 大豆黃卷

(L. maritimus non [L.] Fries. 或 Bigel.)

L. quinquenervius (Mig.) Litw. 山黧豆

(L. palustris non L.)

*Pisum sativum L. 豌豆

Amphicarpaca trisperma (Mig.) Baker. 野毛扁豆

(A. Edgeworthii non Benth.)

(A. Edgeworthi Bth. var. japonica Oliv.)

Glycine Soja S. et Z. 鹿藿，落豆花，蔓豆

(G. ussuriensis Regel et Maack)

*G. max (L.) merr. 大豆，黃豆

(G. hispida [Moench] Maxim.)

Pueraria Thunbergiana (S. et Z.) Benth. 葛

*Phaseolus vulgaris L. 菜豆，四季豆

Coccineus Lam. 荷包豆

(P. multiflorus Willd.)

*P. angularis (Willd.) W.F. Wight 赤豆，飯豆

(P. radiatus L. var. Oatsuki Mig.)

*P. aureus Roxb. 綠豆

(= ? P.Mungo L. var. radiatus Bak.)

P. Mungo L. 野菉豆

P.trilobus (L.) Ait.

(P. anguinus Bge.)

P. minimus Roxb.

*Vigna sinensis (L.) Endl. 豇豆，角豆

Dolichos Lablab L. 萹豆，鵲豆

(Lablab vulgaris Savi, Bunge)

Geraniaccae (67) 牻牛儿苗科

Geranium eriostemon Fisch.

G. pratense L.

var. megalanthum Nakai

G. pratense L.

G. davuricum DC.

(G.bifolium Maxim.)

(G. psendo-sibiricum Maxim.)

G. Vlassovianum Fisch. ex DC.

G. Wilfordii Maxim. 老鹳草

G. sibiricum L. 风露草

Erodium Stephanianum Willd. 太阳花，老鹳草（葯）

Pelargonium inquinans Ait.

Oxalidaceae (69) 酢浆草科

Oxalis corniculata L. 酢漿草

O. stricta L.

var. fontana (Bge.) R. Knuth

(O. fontana Bge.)

O. Acetosella L.

*Tropaeolaceae (70) 金蓮花科

Tropaeolum majus L. 旱金蓮

Linaceae (65) 亚麻科

Linum stelleroides Planch.

(Linum davuricum non schult.)

L. perenne L. var. sibiricun (DC.) Planch.

*L. usitatissimum L. 胡麻

Zygophyllaceae (66) 蒺藜科

Tribului terrestris L. 蒺藜

Nitraria Schoberi L. 哈嗎，白刺

(N. sphaerocarpa Kozlov in J.J.B. xv:127[ ]non Mixm.)
var. sibirica Pall.
(f. microphylla microcarpa Carna)
Peganum Nigellastrum Bge. 臭蒿
Rutaceae (195) 芸香科
Haplophyllum davuricum (L.) A. Juss.
(Ruta davurica [L.] DC.)
Dictamnus albus L.ssp. dasycarpus (Turcz.) Kitagawa 白鲜
Phellodendron amurense Rupr. 黃蘗
Evodia Danielli (Benn.) Hemsl. 吳茱萸
(Zanthoxylum Bretschneideri Maxim.)
Zanthoxylum simulans Hance 花椒
(Z. Bungei Planch.)
(Z. Bungeanum Maxim.)
Fagara mantschurica (Benn.) Honda
(F. schinifolia [S. et Z.] Ergl. non Salisb.)
(Z. schinifolium S. et Z.)
(Z. piperitum DC.)
Simarubaceae (196) 苦木科, 樗科
Picrasma ailanthoides (Bge.) Planch 苦楝
(Rhus ailanthoides Bge.)
Ailanthus altissima (Mill.) Swingle 臭椿, 樗
Meliaceae (198) 楝科
Cedrelea sinensis A. Juss. 香椿
(Ailanthus flavescens Carr.)
David (定名为 C. chinensis)
Melia Azedarach L. 楝
Polygalaceae (42) 远志科
Polygala sibirica L. 瓜子金, 金鎖匙

P. japonica Houtt.

P. tenuifolia Willd. 远志

(P. sibirica B tenuifolia Regel)

David(定名为 P. sibirica var. angustifolia Ledeb.)

P. Tatarinowii Regel 小扁豆

Euphorbiaceae (136) 大戟科

Pdyllanthus simplex Retz. 叶下珠

var. ussuriensis (Rupr. & Maxim.) Muell-Arg.

Securinega suffruticosa (Pall.) Rehd

(S. ramifora MuellA-rg.)

(S. flueggeoides Muell-Arg.)

Acalypha australis L. 鉄莧菜

(A. pauciflora Hornem.)

var. lanceolata Hayata

A. brachystachya Hornem.

Speranskia tuberculata (Bge.) Baillon 地构叶

(croton tuberculatum Bunge)

(Sp. pekinensis Pax & Hoffm.)

Andrachne chinensis Beg 雀儿舌头

*Ricinus communis L. 蓖麻

Euphorbia humifusa willd 小鳥儿臥簞, 鳥臥簞

(E. Psewdo-chamaesyce Fisch. Mey & Lallem.)

E. pekinensis Rupr. 大戟

E. Esula L. var. cyparissoides Boiss.

(E. cyparissoides Turcz.)

E. lunluta Bge. 貓眼草

Anacardiaceae (206) 漆树科

Pistacia chinensis Bge. 楷树, 黃連木

Cotinus Coggyria Scop. var. cinerea Engl. 黃櫨, 紅叶

(Rhus Cotinus non L.)

Rhus javanica L. 盐肤木

(R. semialata Murr. , R. hinensis Min.)

R. Potanini Maxim.

R. verniciflua Stokes

Aceraceae (201) 槭树科

Acer ginnala Maxim.

A. truncatum Bge. 元宝树

(cum var. nudiem Graf von Schwerin)

A. Mono Maxim.

(A. pictum Thumb. var. parviflorum C. K. Schneid.)

A. lobulatum Nakai

(var. rubripes (Nak.) Nakai)

A. Grossieri Pax. 青榨槭，青虾蟆

(A. Davidii non Franch.)

A. Negundo L. 三叶槭，梣叶槭

A. Hersii Rehd.

Staphyleaceae (204) 省沽油科

Staphylea Bumalda DC. 省沽油

Celastraceae (174) 卫矛科

Evonymus alatus (Thbg.) Sieb. 卫矛，鬼箭

(var. r. pubescens Maxim.)

(?var. apterus Regel)

(var. pilosa Loesn et Rehd.)

E. Maackii Rupr.

E. Bungeana Maxim. 明开夜合，白杜

var. mongolicus (Nakai) Kitagawa

E. Shensiana Maxim.

(E. elegantissimus Hers non Loesn. & Rehd.)

E. Fortunei (Turcz.) H.-M.

(E. patens Rehd.)

(E. kiantschousica non Loesn.)

*E. japonica Thbg.

Celastrus angulatus Maxim. 南蛇藤，馬腸

C. articulatus Thunb. 蔓性落霜紅

(C. orbiculatus Thbg.)

(C. Tatarinowii Rupr.)

C flagellaris Rupr.

C. jeholensis Nakai

Hippocastanaceae (252) 七叶树科

Aesculus chinensis Bge. 七叶树，杪椤树

Sapindaceae (199) 无患子科

Koelrenteria paniculata Laxm. 欒树

Xanthoceras sorbifolia Bge. 文冠树

Balsaminaceae (71) 凤仙花科

*Impatiens Balsamina L. 凤仙花

I, Noei-tangere L. 水金凤

Rhamnaceae (191) 鼠李科

Rhamnus utilis Decaisne (cfr. Grubor) 大綠，鼠李

(R. davuricus non Pall.)

R. Schneideri Levl. & Van.

R. globosus Bge. 流綠枝

R. parvifolius Bge. 黑梨，白花条，黑格灵

(R. globsa var. zizyphifolia Tang)

(R. virgata Roxb. var. aprica Maxim. David)

R. argutus Maxim.

var. velutinus H.-M.)

R. Erythroxylon Pall.

Hovenia dulcis Thunb. 鷄爪梨，枳椇，拐枣

var. glabra Makino.

Sageratia theezans (L.) Brongn.

(Berchemia Chaneti Levl.)

(Sageretia chaneti Schneider)

S. paucicostata Maxim.

*Zizyphus sativa Gaertn.

(Z. Jujuba mill.)

(Z. vulgaris Lam.)

var. inermis (Bge.) Rehd. 枣

var. lageniformis Nakai 葫蘆枣

var. spinosus (Bge.) Schneider 酸枣

(Z. vulgaris var. spinosus Bge.)

(Z. spinosus (Bge.) Hu)

Vitaceae (193) 葡萄科

*Parthenocissus Thunbergii (S. et Z.) Nakai 爬山虎，地錦

Cissus Thunbergii S. et Z.)

Vitis inconstans Miq.

(P. Tricuspidata Planch.)

Ampelopsis humulifolia Bge. 野葡萄，葎叶白蔹

(Vitis heterophylla Thbg. α Bungei)

(? = V. h. subvar. pekinensis Max.)

(Cissus Davidianus Carr.)

(Vitis heterophylla non Thbg.)

var. trisecta Nakai

A. brevipedunculata (Maxim) Trautv.

var. Maximowiczi Rehd.

(Vitis heterophylla Thbg.)

A. japonica (Thunb.) Makino 白蔹

(A. serjanaefolia Bge.)

A. aconitifolia Bge. 蛇葡萄，鳥头叶白蔹

var. glabra Diels & Gilg

(= var. palmiloba [Carr.] Rehd.)

*Vitis vinifera L. 葡萄

V. amurensis Rupr.

(V. ficifolia Bunge)

(V. Labrusca non L.)

V. bryoniaefolia Bunge

(V. Thunbergii non S. et Z.)

Tiliaceae (128) 田麻科，椴树科

Tilia mongolica Maxlm. 小叶椴，糠椴

T. mandschurica Rupr. et Maxim. 大叶椴，米椴

(T. pekinensis Rupr.)

(T. argentae Beyer)

(T. mandschrica var. pekinensis (Rupr.) V. Engl.)

Grewia biloba G. Don var. parvitlora (Bge.) H. M. 孩儿拳头

(G. parviflora Bge.)

(G. Chanetii Levl.)

Corchoropsis psilocarpa Harms & Loesn. 田麻

(C. crenata non S. et Z.)

(C. tomentosa non Makino)

Sterculiaceae (130) 梧桐科

Firmiana simplex (L.) W. F. Wight 梧桐

(Sterculia platanifolia L. f.)

(St. pyriformis Bge.)

Malvaceae (132) 錦葵科

Abutilon Avicennae Gaertn. 苘麻

(Sida tiliaefolia Fisch.)

*Althaea rosea Gav. 蜀葵，熟季花

Malva verticillata L. 冬葵

M. sylvestris L. 錦葵

(? = M. pulchella Bernh.)

*Hibiscus cannabinus L. 洋麻

*H. syriacus L. 木槿

H. Trionum L. 野西瓜苗

*Gossypium herbaceum L. 棉

Actinidiaceae (112) 獼猴桃科

Actinidia arguta (S. et Z.) Planch. ex Miq. 獼猴桃

A. megalo arpa Nakai

Guttiferae (123) 金絲桃科

Hypericum Ascyron L.

H. attenuatum Choisy

(H. perforatumnon L.)

H. erectum Thunb. 小連翹

Tamaricaceae (28) 檉柳科

Tamarix juniperina Bge. 三春柳，檉柳，西湖柳．观音柳，紅柳，紅荊条

(T. pentandra non Pall.)

(T. Pallasii Desv. var. minutiflora non Bge.)

(T. chinensis non Lour.)

Myricaria germani a Desv. var. alopecuroides Maxim.,

Violaceae (40) 菫菜科

Viola micrantha Turcz.

(V. acuminata Ledeb.)

(V. canina non L.)

(V. canina var. acuminata)

ssp. brevistipulata W. Beck.

V. japonica Langsd. (sensu Maxim) 犁头草

V. hirta L.

V. prionantha Bge.

(V. Patrinii Maxim.)

(V. Patrinii var. chinensis Ging.)

V. pinnata L. ssp. multifida W. Becker var. angustisecta W. Becker

var. β dissecta Turcz.

V. biflora L.

(cum var. platyphylla Fr.)

V. variegata Fisch. var.chinensis Bge.

(V. tenuicornis W. Becker)

(Viola varicgata)

V. collina Bess.

V. mongolica Fr.

V. phalacrocarpa Maxim.

V. alisoviana kiss. (苏联植物志用)金銀草

(V. yedoensis makino)

(V. philippica Cav. ssp munda W. Becker)

V. tricolor L. 胡蝶梅

V. pekinensis (Regel) W. Becker

(V. kamtschatica var. pekinensis Regel)

V. Selkirkii Pursh

V. Rossi Hemsl.

Begoniaceae (104) 秋海棠科

Begonia sinensis A. DC. 扣子花

B. Evensiana Andr. 秋海棠

(B. discolor Ait.)

B. semperflorens Link et Otto.洋海棠

Thymelaeaceae (81) 瑞香科

Wikstroemia Chamaedaphne (Bge.) Meisn. 荛花，野瑞香

(Passerina Chamaedaphne Bge.)

W. canescens (Wall.) Meisn.

Daphne Genkwa S.et Z. 芫花

D. Roumea Meisn.

Diarthron linifolium Turcz.

Stellera Chamaejasme L. 甘遂，狼毒

Elaeagnaceae (191) 胡颓子科

Elaeagnus umbellata Thunb. 胡颓子

E. crispa Thunb.

(E. multiflora Thbg.)

E. hortensia M. B. ssp. angustifolia (L.) Schlechtend.

α typica sv. gymnanthera Serv.

Hippophae rhamnoides L. 黄酸刺，白酸醋柳

ssp. en-rhamnoides (L.) Servettaz

Lythraceae (72) 千屈菜科

Ammannia baccifera L. ssp. viridis (Komarov) Koehne 水苋菜

A. peploides Spreng.

Lythrum Salicaria L.

(L. virgatum non L.)

var. vulgare DC. 千屈菜

*Lagerstroemia indica 紫薇

Punicaceae (75) 安石榴科

*Punica Granatum L. 安石榴

Onagraceae (77) 柳叶菜科

Ludwigia prostrata Roxb. 丁香菜

L. parviflora Roxb.?

Epilobium angulatum Komar.

E. hirsutum L.

var. parviflorum Hanssk

E. fastigiatoramosum Nakai

E. propinquum Haussk.

(E. tetragonum non L.)

E. palustre L.

E. roseum Schreb.

Chamaenerion angustifolium (L.) Scop. 柳兰

(Epilobium angustifolium L.)

*Oenothera Lamarkiana Ser.

Trapa incisa S. et Z. 野菱

T.ratans L. var. quodrispinosa (Roxb.) Makino 菱角

T. japonica Flerov

Circaea imaicola (Aschers, et Magn.) H.-M.

(C. alpina non L.)

C. cordata Royle

C. mollis S. et Z.

C. quadrisulcata (Max.) Fr. et Savat.

(C. Lutetiana non L.)

C. hydrida H.-M.

(C. cordata x mollis)

C. kitagawae Hara

C. caulescens Nakai var. robusta Nakai

Halorrhagaceae (78) 蟻塔科

Myriophyllum spicatum L. 狐尾藻

M. ussuriense (Regel) Maxim. 蒲草, 紅心蒲草

(M. verticillatum var.ussuriense Regel)

(M. verticillatum non L.?)

Hippuris vulgaris L. 杉叶藻，蒕藻

Araliaceae (213) 五加科

Acanthopanax sessiliflorus (Rupr. et Maxim.) Seem .烏鴉子

(Panax sessiliflorus Rupr. et Max.)

var. parviceps Rehd.

Eleutherococcus senticosus (Rupr. et Maxim.) Maxim.

一百針

(Acanthopanax senticosus [Rupr. et Max.]Harms

f. sobinermis (Regel) Li

El. Henryi Oliv.

(Acanthopanax Henryi [Oliv.] Harms)

Kalopanax pictum (Thbg.) Nakai. 刺楸

(K. septemlobus [Thbg.] koidz.)

Aralia chinensis L. 楤木，老虎了子

var. nuda Nakai

A. cordata Thunb. 土当归

Umbelliferae (214) 繖形科

Hydrocotyle sibthorpioides Lamk. 天胡荽

Sanicula chinensis Bge. 山芹

(S.elata Hamilt. var. acaulis Franch.)

Sphallerocarpus gracilis (Bess.) Litw. 或 koso-poljanski

(Sp. cyminum Bess.)

(Conopodium cyminum Bth & Hk. f.)

*Coriandrum sativum L. 芫荽，香菜

Torilis joponica (Houtt.) DC. 窃衣

(T. Anthriscus non [L.] Gmelin)

Pleurospermum uralense Hoffm.

Bupleurum longicaule Wall.

B. scorzoneraofolium Willd.

(B. falcatum L. var. scorzoneraefolium Ledeb. 或 Willd.?

(B. chinense DC.)

B. falcatum L. var. chiliosciadum Wolff

B. angustissimum (Fr.) kitagawa

(B. falcatum L. var. angustissimum Fr.)

B. octoradiatum Bge.

B. pekinense Franch. 北柴胡

(B. chinense Fr. non DC.)

(B. falcatum non L.)

(B. scorzoneraefolium Willd. f. ensifolium (Wolff) Nakai

B. davuricum Fisch. et Mey.

B. Smithii H. Wolff

B. longifolium L.

B. borealisinenge Nakai

B. longiradiatum Turcz. ("longeradiatum") 河北柴胡

B. jeholense Nakai

*Apium graveolen L. 芹菜

Cicuta virosa L. 野芹菜花，芹叶鈎吻

Eriocycla albescens (Fr.) Wolff

(Pimpinella albescans Fr.)

(Seseli Provostii de Boiss.)

(Pituranthos Provostii de Boiss.)

Carum Carvi L. 旱芹菜

C. Bretschneideri Wolff

(C. buriaticum Turcz.?)

C. Wolffianum Fedde ex Wolff

Pimpinella? Limprichtii Wolff

P. cnidioides Pears. ex Fedde

P. Thellungiana Wolff

(P. magna var. dissecta Turcz.)

Pimpinella sp.

Spuriopimpinella brachystyla (H.-M.) Kitagawa

(Pimpinella brachystyla H.-M.)

(P. Nakaiana Kitagawa)

*Petroselinum sativum Hoffm.

(Apium Petroselinum L.)

Carlesia sinensis Dunn.

Sium cicutaefolium Schrank 澤芹

(Apium cicutaefolium Bth. & Hk. f.)

f. angustifolium Komar.

f. latifolium Komar. 毒人参

Seseli laserpitifolium Palibin 邪蒿

Oenanthe javanica (Bl.) DC. 水芹

(O. stolonifera DC.)

Libanotis condensata (L.) Crantz 防风（日）

L. sibirica (L.) C.A. Meyer 或 Koch.

(Seseli Libanotis Koch)

Cnidium Monnieri (L.) Cuss.

(Selinum Monnieri L.)

Cn. mongolicum Wolff.

Cn. filisectum Nakai & Kitagawa.

(Cn. affine H. Wolff non C.A. Meyer)

(Tilingia filisecta [Nakai & Kitagawa] Nakai & Kitagawa)

Ligusticum elegans H. Wolff

L. longilobum H. Wolff.

L. pteridophyllum Fr.
L. Smithii H. Wolff.
L. Wawrae H. Wolff.
L. jeholense (Nakai & Kitagawa) Nakai & Kitagawa
(Cnidium jeholense Nakai & Kitagawa)
L. angelicifolium Fr.
Conioselinum davuricum Fisch. 芎藭
Angelica Czernaevia (Fisch. et Mey.) Kitagawa.
(A. laevigata Fr.)
A. polymorpha Maxim. 当归
A. peucedanoides H. Wolff.
A. urticifoliolata H. Wolff.
A. dahurica (Fisch.) Benth. & Hk. f. 或 Maxim.
A. sinuata H. Wolff.
A Smithii H. Wolff.
A. tschiliensis H. Wolff.
A. porphyrocaulis Nakai & Kitagawa.
f. latisecta Kitagawa.
A. anomala Lallem.
Angelica Uchiyamae Yabe
Ostericum Miquelianum (Max.) Kitagawa.
(Angelica Miqueliana Maxim.)
O. grosseserratum (Max.) Kitagawa.
(Angelica grosseserrata Maxim.)
(A. mongolica Fr.)
(Gomphopetalum sp. nov. Maxim.)
Glohnia littoralis (A. Gray) Fr. Schmidt ex Miquel. 珊瑚菜，濱防风
(Phellopterus littoralis Fr. Schm.)

Peucedanum Giraldii Diels

P. caespitosum H. Wolff.

P. condensatum (Ledeb.) Koso-Polj.

P. elegans Kom.

P. trinioides H. Wolff.

P. terebinthaceum (Fisch.) Fisch.

Peucedanum sp.

Ferula rigida (Bge.) Wolff.

(Peucedanum rigidum Bge.)

F. Licentiana H.-M.

Heracleum Moellendorffii Hance 黄眼草, 白芷

(H. lanatum non Michx.)

(H. morifolium Wolff)

Ledebouriella seseloides (Hoffm.) Wolff 防风

(Stoncoelium divaricatum Turcz. Pei-le-kou putjata)

(Siler divaricatum [Turcz.] Bth. et Hk. f.)

f. latifolium Wolff.

*Daucus Carota L. 胡蘿卜

Cornaceae (210) 山茱萸科

Cornus Bretschneideri L. Henry

(C. tatarica Fr. non Mill.)

(C. aspera Wangerin)

Clethraceae (215) 山柳科

Clethra Fargesii Fr.

Pyrolaceae (215) 鹿蹄草科

Pyrola rotundifolia L. ssp. chinensis Andr.

var. incarnata DC.

(P. incarnata Fisch.)

P. hopeiensis Nakai

Moneses uniflora (L.) A. Gray.

(M. grandiflora Salisb.)

Ericaceae (216) 杜鵑科, 石南科

Rhododendron micranthum Turcz. 照小白,达子香,藍荆

R. mucronulatum Turcz. 藍荆子

(R. dauricum non L.)

*R. indicum Sweet 杜鵑花

*R. leucanthwm Bge.

(R. ledifoliwm var. lencanthum Maxim.)

Primulaceae (241) 櫻草科

Primula Maximowiczii Regel 胭脂花

(P. oreocharis Hance)

var. Dielsiana Pax

P. Sieboldii E. Morren.

f. patens (Turcz.) Kitagawa.

(P. patens Turcz.)

(P. saxatilis Kom.)

P. Loesneri Kitagawa.

(P. Paxiana Gilg., non O. Ktze.

Androsace umbellata (Lour.) Merr. 点地梅

(A. saxifragaefolia Bunge)

A. Lehmanniana Spreng.

(A. Chamaejasme Host var. trichophylla Pax & Hoffm.)

A. longifolia Turcz.

A. hopeiensis Nakai.

A. incana Lam.

(A. villosa non L.)

(A. villosa L. var. typica Trautv.)

(A. villosa L. var. latifolia Ledeb.)

(A. villosa L. var. uniflora)

(A. villosa L. var. incana (Lam.) Duby)

Cortusa Matthioli L.

ssp. pekinensis (A. Bichter ut forma) Kitagawa

(C. coreana [Nakai] Nakai

Lysimachia barystachys Bge. 狠尾巴花，狠尾草

L. clethreides Duby.

L. obovata Ham.

(L. candida non Lindley)

L. dahurica Ledeb.

(L. vulgaris non L.)

L. bentapetela Bge.

Trientalis europaea L. 衿取草 (日)

var. α eurasiatica R. Kuuth.

Glaux maritima L. 海乳草

Anagallis arvensis L. 海綠

var. β coerulea (Schreb.) Gren. et Godr. ?

Plumbaginaceae (242) 藍雪科，砜松科

Ceratostigma plumbaginoides Bge. 藍雪

(Valorodia plumbaginoides Boiss.)

Limonium bicolor (Bge.) O. Ktze.

(Statice bicolor Bge.)

L. sinense (Girard) O. Ktze.

(Statice sinensis Girard.)

L. aureum (L.) Hill.

(Statice aurea L.)

L. Franchetii (Debx.) O. Ktze.

Ebenaceae (221) 柿科

*Diospyros Kaki L. 柿

(D. Schitse Bge.)

*D. Lotus L var. japonica (S. et Z.) Fr. 君迁子，黑枣

Oleaceae 木犀科

Fontanesia Fortunei Carr. 雪柳

(F. phyllyreoides Labill var Fortunei (Carr.) Kochne)

Fraxinus Bungeana DC. 小苦瀝，梣皮，秦皮

(F. floribunda Bge. non Wall., F. ornus L. var. Bungeana Hance)

Fraxinus chinensis Roxb. 白蜡树，小叶梣

var. α typica Linglesh.

Fraxinus rhynochophylla Hance 大叶苦瀝，大叶梣

(F. chinensis Roxb. var. rhynochophylla (Hce.) Hemsl.)

Fraxinus hopeiensis Tang

Fraxinus mandshurica Rupr.

(F. nigra marsh. var. mandshurica (Rupr.) Linglesh.)

Forsythia suspensa (Thbg.) Vahl 連翹

(Rangium suspensum (Thbg.) Ohwi)

*var. α Fortunei Rehd.

var. δ pubescens (Rehd.) Linglesh.

Syringa villosa Vahl "大丁香" (Bretschn.)

(S. Bretschneideri Lemoine.)

(S. Emodi Decne. non Wall.)

(S. villosa Vahl var. typica (Schn.) Linglesh.)

var. Limprichtii Lingelsh.)

Syringa velutina Komar.

(S. Palibiniana Nakai)

Syringa pubescens Turcz. "小叶丁香" (河南), "小丁香"
(Bretschneider), "小叶白丁香，青岡子"
(S. villosa Decne, non Vahl 华北, David)
*Syringa Meyeri Schneid. "南丁香"
*Syringa oblata Lindl. 丁香
(S. chinensis Bge., non Willd.
*var. affinis (L. Henry) Lingelsh. 白丁香，
Syringa pekinensis Rupr. 山丁香
(S. amurensis non Rupr.)
(Ligustrina amurensis Rupr. var. pekinensis Maxim.)
跑馬子，澆水花
*Osmanthus fragrans (Thbg.) Lour. 木樨，桂花
Chionanthus retusus Lindl. et Paxton 流苏树，茶叶树
(C. chinensis (Fisch.) Maxim.)
*Ligustrum lucidum Ait. 女貞，冬青
(L. japonicum non Thbg.)
Ligustrum Quihoui Carr. 小女貞，水蜡树
*Jasminum floridum Bge. 探春
*Jasminum nudiflorum Lindl. 迎春
(J. angulare Bge. non Vahl)

Loganiaceae 馬錢科
Mitrasacme alsinoides R. Br.

Gentianaceae 龙胆科·
Centaurium Meyeri (Bge.) Druce (pulchellum non (sw.) Druce.
(Erythraea pulchella non Hornem.)
(Erythraea ramosissima Pers.)
(Erythraea meyeri Bge. Ling)
(Erythraea pulchella Hornem. var. ramosissima

(Gaud.) Gilmour)

var. altaicum (Griseb.) Kitagawa & Hara.

(Erythraea pulchella Hornem. var. altaica (Griseb.) Kitagawa)

(Crawfurdia volulilis (Maxim.) Makino)

Pterygocalyx volulilis Maxim.

(Crawfurdia Pterygocalyx Hemsl.)

Gentiana dahurica Fisch.

(G. kurroo Fr. non Royle)

(G. decumbens non L. f.)

=G. Fetissowi Kusorez, Ling, non Reg. et Winkl.?

Gentiana macrophylla Pall. (1788) 秦艽

Gentiana pseudodecumbens H. Sm.

Gentiana wutaiensis Marg.

Gentiana tenuicaulis Ling.

G. manshurica Kitagawar

Gentiana squarrosa Ledeb. 小龙胆, 石龙胆

Gentiana Burkillii H. Sm.

(as G. squarrosa Ledeb.)

(Gentiana squarrosa non Ledeb.)

Gentiana pseudoaquatica Kusnezov,

(G. squarrosa Limpr. non Ledeb.)

(G. aquatica non L.)

Gentiana Zollingeri Fawcett

Gentianaella Limprichtii (Grün.)

(Gentiana Limprichtii Grüning)

Gentianella falcata (Turcz.) H. Sm.

Gentianella amarella (L.) H. Sm. var. fastigiata Ling

Gentianopsis barbata (Froel.) Ma 蒙古紫花地丁

(Gentiana detonsa Rottb.)

var. sinensis Ma.

Gentianopsis scabromarginata (H. Sm.) Ma.

(Gentianella scabromarginata. H. Sn.)

Gentianopsis nana Ma.

Gentianopsis contorta (Royle) Ma.

(Gentiana Yamatsutae Kitagawa)

Lomatogonium carinthiacum (Wulf.) A. Br.

(Pleurogyne carinthiaca [Wulf.] Griseb.)

Lomatogonium rotatum (L.) A. Br.

(Pleurogyne rotata (L.) Griseb.)

Swertia erythrosticta Maxim.

Swertia chinensis (Bge.) Franch. 獐牙菜, 当药

(Ophelia chineesis Bge.)

(Ophelia diluta Turcz. non Ledeb.)

Swertia tosaensis (Mak.) Makino

Swertia Wolfgangiana Grüning

Anagalidium dichotomum (L.) Griseb.

(Swertia dichotoma L. David)

Halenia corniculata (L.) cornaz 花錨

(Halenia sibirica Borkh)

(Halenia elliptica Ling non D. Don)

Nymphoides peltatum (Gmel.) O. Ktze. 莕菜

(Limnanthemum nymphoides (Vent.) Hoffmgg. et Link.)

Nymphoides indicum (L.) O. Ktze. "金銀蓮花"

(Limnanthemum indicun Thw.)

Apocynaceae 夹竹桃科

Trachomitum venetum [L.] Woodson.

(Apocynum venetum L.) 茶叶花

(Apocynum sibiricum Pallas)

*Nerium odorum Sol. 夹竹桃

Asclepiadaceae (232) 蘿藦科

Periploca sepium Bge. 杠柳

Metaplexis japonica (Thunb.) Makino 蘿藦

(M. Stauntoni R. et S.)

(Urostelma chinense Bge.)

Pycnostelma laterifiorum Hemsl.

P. paniculatum (Bge.) K. Schum. 徐長卿

(P. chinensis Bge.)

(Ascleipas paniculatum Bge.)

Cynanchum atratum Bge. 知微老，白薇

?C. acutum L.

C. caudatum (Miq.) Maxim. 牛皮消

(C. auriculatum non Royle)

C. Bungei Decne.

(Asclepias hastata Bge.)

(Symphyoglossum hastatum Turcz.)

C. dubium Kitagawa.

(Pycnostelma leucanthum Kitagawa)

C. Hancockianum (Maxim.) Iljin

(Vincetoxicum mongolicum var. Hancockianum Maxim.)

C. inamoenum (Maxim.) Loesn.

?C. mongolicum non (Maxim.) Hemsl.

C. sibiricum (L.) R. Brown 地梢瓜，雀瓢，地瓜子（葯）

var. boreale (Maxim.)

(Vinetoxicum sibiricum var. australe Maxim. David)

var. gracilentum Nakai & kitagawa.

C. chinense R. Br. 白前，牛犄角墓

(C. pubescens Bge.)

C. versicolor Bge.

(C. mandshuricum [Hce.] Hemsl.)

C. amplexicaule (S. et Z.) Hemsl. 合掌消

C. wilfordii (Maxim.) Fr. et Sav. 白何首烏（菂）

C. purpureum (Pall.) K. Schumann

(C. roseum R. Br.)

Convolvulaceae (252) 旋花科

Cuscuta australis R. Br.

C. chinensis Lamk. 兎絲子

(C. fimbriata Bge. ex Turcz.)

C. japonica Choisy 金灯藤

var. formosana (Hayata) Yuncker

var. paniculata Engelm.

(C. coloraus Maxim.)

C. lupuliformis krock.

(C. monogyna Vahl)

var. β asiatica Engelm.

C. europea L. var. indica Engelm.

(C. major choisy)

C. pedicellata Ledeb.

Convolvulus tragacanthoides Turcz.

(C. spinosus Bge.)

C. Ammanni Desr.

C. chinensis Ker-Gawler 田旋花

(C. arvensis L. var. sagittaefolius Turcz.)

(C. arvensis L. var. crassifolius Choisy)

(C. arvensis L. var. sagittifolius Fisch.)
(C. arvensis L. var. angustatus Ledeb.)
(C. arvensis L. F. elongatus Liou et Ling,)
(C. arvensis L. F. lobophorus [Kitag.] Kitag.)
(C. arvensis L. var. sagittatus Ledeb.)
C. sagittifolius (Fisch.) Liou et Ling.
(C. auriculatus Kitag. non Desr.)
Calystegia Soldanella (L.) R. Br.
C. subvolubilis (Ledeb.) G. Don 天剣
(Convolvulus dahuricus)
(Calystegia dahurica Choisy)
C. pellita (Ledeb.) Ledeb. 藤长苗
C. hederacea Wall. 小旋花
(C. acetosifolia Turcz.)
C. japonica (Thbg.) Choisy
var. integrifolia Fr. et Sav.
(C. sepium var. japonica [Nak.?])
var. elongata Liou et Ling, nom. seminud.
C. sepium (L.) R. Br. 旋花
var. gracilis Kom.
var. communis (Tryon) Hara
(var. americana [non Sims] Kitagawa)
*Ipomoea aquatica Forsk. 蕹菜
(I. reptans [L.] Poir.)
*I. Batatas (L.) Lam. 番藷, 白藷, 地瓜
var. edulis (Choisy) Makino.
? var. lobata Gagn. et Coursh.
Pharbitis purpurea (L.) Lam. 洋牽牛, 喇叭花
(P. hispida Choisy)

(Ipomaea purpurea L.)

P. hederacea (L.) Choisy 牽牛花

(Ipomoea purpurea Lam.)

(P. Nil [L.] Choisy)

var. integrifolia Choisy

var. elongata Liou et Ling, nom. seminud.

*Quamoclit pennata (Lamk.) Bojer 密蘿松，蔦蘿

Merremia sibirica (L.) Choisy

(Ipomoea sibiri a [L.] Pers.)

Polemoniaceae (248) 花葱科

Polemonium coeruleum L. ssp. vulgare Brand 花葱

(polemonium chinense Brand)

Boraginaceae (250) 紫草科

Messerschmidia sibirica L. 紫丹，砂引草

(Tournefortia sibirica L.)

(T. Arguzia R. et S.)

var. angustior (DC.) Kitagawa

(T. sibirica var. angustifolia Fr.)

var. grandiflora (H. Winkl.)

Cynoglossum divaricatum Stephen 大琉璃草

Lappula echinata Gilib. 滿洲鶴蝨（葯用）

(Echikospermum anisacanthum Turcz.)

(L. anisacanthum [Turcz.] Giircke)

var. heteracantha (Ledeb.) O. Ktze.

(Echinospermum heteracanthum Ledeb.)

Eritrichium rupestre (Pall.) Bge.

var. pectinatum (Pall.) Brand

(E. pectinatum (Pall.) DC.

Bothriospermum chinense Bge. 細迭子草

B. Kusnezowii Bge.

B. secundum Maxim. 蒙古蛤蟆草 (葯)

B. tenellum (Hornem.) Fisch. et Meyer.

Myosotis silvatica (Ehrh.) Hoffm.

var. alpestris (Schmidt. or Koch) Fr.

M. palustris Lam.

Trigonotis peduncularis (Trevir.) Bth. 附地菜

(Myosotis peduncularis Trevir.)

(M. chinensis A. DC.)

T. gamocalyx H. -M.

T. amblyosepala Nakai & Kitagawa.

T. sericea (Maxim.) Ohwi.

(Omphalodes sericea Maxim.)

(T. radicans (Turcz.) Steven var. sericea (Maxim.) Hara)

Lithospermum arvense L. 麦家公，大紫草

L. erythrorhizon S. et z. 紫草

(L. officinale L. var. erythrorhizon [S. et z.] H.-M.)

Arnebia saxatilis (Turcz.) Bth. & HK. F.

(Stenosolenium saxatilis Turcz.)

Asperugo procumbens L.

Verbenaceae (264) 馬鞭草科

Verbena officinalis L. 馬鞭草

Vitex Negundo L. var. heterophylla (Fr.) Rehd. 荆条，牡荆

(V. chinensis Mill.)

(V. Negundo L. var. incisa [Lam.] Clarke.)

(V. incisa Lam. var. heterophylla Fr.)
(V. Negundo non L.)
(V. incisa Lamk.)
V. trifolia L. var. unifoliolata Schauer
(V. ovata Thbg.)
Clerodendron Bungei Steud. 臭牡丹
(C. foetidum Bge.)
Caryopteris nepetaefolia (Bth.) Maxim. 犃

Labiatae (265) 唇形科
Ajuga lupulina Maxim.
A. mulfiflora Bge. 夏枯草
A. pallescens (non ? Maxim.) Price 筋骨草
(A. genevensis non L.)
A. linearifolia Pamp.
A. ciliata Bge. var. Typica Nakai
Teucrium japonicum Willd. var. pilosum Pamp.
Amethystea caerulea L. 水棘針
Scutellaria baicalensis Georgi 黄芩
Sc. macrantha Fisch.
var. pubescens (Fr.) H. -M.
(S. scordifolia var. pubescens Miq.)
var. hispidula Nakai.
S. strigillosa Hemsl.
(S. scordifolia Fisch. var. hirta Fr. Schmidt)
S. viscidula Bge.
S. scordifolia L. F. glabrescens Fr.
(S. wulingshanensis Nakai et Kitagawa)
(S. scordifolia var. crenata Freyn?)

(S. scordifolia var. subglabra komorow?)

S. barbata D. Don

(S. rivularis wall.)

S. macrodonta H. -M.

S. pekinensis Maxim.

(S. indica L. var. japonica H. -M.)

(S. indica L. var. pekinensis Maxim.)

(S. indica non L.

S. planipes Nakai et Kitagawa.

Marrulinm incisum Bth. 夏至草, 风車草

Agastache rugosa (Fisch. & Meyer) O. Ktze. 霍香

(Lophanthus rugosa Fisch. & Meyer)

Nepeta Stewartianum Diels var. robustum (Nakai & Kitagawa) Nakai & Kitagawa.

(?N. macrantha Fr. non Fisch.)

(Dracocephalum robustum Nakai & Kitagawa.

Schizonepeta multifida (L.) Briquet 荆芥

(Nepeta lavendulacea L. F.)

S. tenuifolia (Bth.) Briquet

Calamintha chinensis Benth. 风輪菜

(C. Clinopodium Bth. var. chinensis Dunn)

C. urticaefolia (Hce.) H.-M.

(Clinopodium chinense [Bth.] O. Ktze. ssp. grandiflonum [Maxim] Hara)

Glechoma longituba (Nakai) Kupr. 連錢草, 活血丹

(G. hederacea L. var. longituba Nakai)

Dracocephalum Moldavica L. 枝子花

D. argunense Fisch.

D. rupestre Hce.

(D. grandiflorum non L.)

(D. altaiense non Laxim)

Prunella asiatica Nakai 夏枯草

(P. vulgaris non L.)

Phlomis mongolica Turcz. 糙苏

(P. tuberosa non L.)

P. jeholensis Nakai & Kitagawa.

P. umbrosa Turcz.

P. Maximowiczii Regel.

Leonurus sibiricus L. 益母草，茺蔚

(L. manshuricus Yabe)

F. albiflorus Nakai et Kitagawa.

L. sibiricus L. var. tenuifolius Nakai.

L. macranthus Maxim. 錾菜，蔪菜

L. pseudo-macranthus Kitagawa.

Lamium album L. 野芝麻

Orthodon diantherus (Ham.) H.-M. 石薺苧

(Mosla dianthera Maxim.)

O. scaber (Thbg.) H.-M.

Stachys Sieboldii Miq. 甘露儿，宝塔菜

(Stachys affinis Bge.)

S. japonica Miq. 水苏，銀条菜

Stachys palustris non Michx.

S. chinensis Bge.

(S. aspera non Michx.)

(S. chanetii Lévl.)

Salvia umbratica Hce.

S. multiorrhiza Bge. 丹参

(S. charbonallii Lévl.)

(S. anomala Van.)

(S. pogonocalyx Hce.)

S. plebeia R. Br. 鼠尾草，薺苧，鶴蝨草（葯用）

(S. minutiflora Bunge.)

Thymus quinquecostatus Cêlak. 山胡椒

T. Przewalskii (Kom.) Nakai 百里香

(T. serpyllum L. var. angustifolia [Ledeb.?])

T. mongolicus (Ronniger) Ronnger 地椒，地嬌花

Lycopus europaeus L. 地瓜儿苗

L. lucidus Turcz. 鉄条菜，銀条菜，旱蒜，地瓜儿苗，土澤兰（葯用）

L. coreanus Lévl.

Mentha arvensis L. 薄荷

M. arvensis L. ssp. haplocalyx Briquet

Perilla frutescens (L.) Britton 白苏，荏

P. nankinensis [Lowr.] Decne. 紫苏

var. crispa (Thbg.) H.-M.

Elscholtzia Patrini (Lep.) Garcke 黄蒿，香薷

(E. cristata Willd.)

E. fruticosa (Don) Rehd.

E. Stauntoni Bth.

E.densa Benth.

(E. manshurica [Kitagawa] Kitagawa; Platyelasma manshurica Kitagawa)

?E. Loesneri H.-M.

Plectranthus glaucocalyx Maxim. 回菜花

P. nervosus Hemsl. 野藿香

H. inflexus (Thbg.) Vahl 山薄荷

P. amethystoides Benth.

(P. pekinensis Maxim.)

*Ocimnm Basilicum L. 矮糠

Solanaceae (251) 茄科

Lycium chinensis Miller 枸杞

Physalis Francheti Mastes 酸浆，紅姑娘，豆腐娘儿

(P. Alkekengi non L.)

P. angulata L. 苦藏

?Physaliastrum japonica (Fr. & Sav.) Honda.

(Chamaesaraca japonica Fr. & Sav.)

Hyoscyamus agrestis Kitaibel 天仙子，莨菪

(H. niger non L., H. niger var. chinensis Makino)

*Capsicum annuum L. 辣椒，秦椒

Solanum nigrum L. 龙葵，黑茄

S. septemlobum Bge. 青杞，野枸杞

S. japonense Nakai 白英

(S. Dulcamara L. var. heterophyllum Makino)

*S. tuberosum L. 馬鈴薯，山药蛋，土豆，阳芋

*S. melongena L. 茄

*Lycopersicum esculentum (L.) Mill. 番茄，西紅柿

*Datura alba Nees.

D. Stramonium L.

D. Metel L. 羊金花（葯）

*Nicotiana tabacum L.

N. rustica L.

Physochlainea physaloides (L.) G. Don.

Scrophulariaceae (253) 玄参科

Cymbaria dahurica L.

C. mongolica Maxim. 山蘿

Linaria burjatica Turcz. 柳穿魚

L. vulgaris Mill.

(L. quadrifolia Hce.)

Antirrhinum majus L. 金魚草，龙头花

Scrophularia Buergeriana Miq. 玄参

(S. Oldhami Oliv.)

S. alata A. Gray.

S. modesta Kitagawa.

S. Moellendorffii Maxim.

Mimulus tenellus Bge. 龙头菜

(M. nepalensis Bth.)

Mazus japonicus (Thbg.) O. Ktze. 通泉草

(Tittmannia obovata Bunge.

(Mazus rugosus Lour.)

M. stachydifolius (Turcz.) Maxim. 弾刀子菜

(Tittmannia stachydifolius Turcz.)

Limnophila trichophylla Komarov.

(L. sessiliflora non [Vahl] Bl.)

Limosella aquatica L.

Lindernia pyxidaria All. 母草

(Torenia crustacea non Cham. et Schlecht.)

(Vandellia crustacea non Bth.)

Scoparia dulcis L. 野甘草

Siphonostegia chinensis Bth. 金鐘茵陈

?Veronica longifolia L. var. grandis (Fisch.) Regel 兔儿

尾苗

(V. grandis Fisch.)

V. linariaefolia Pallas

(V. angustifolia Fisch.)

(V. paniculata var. angustifolia Bth.)

var. dilatata Nakai et Kitagawa

V. jeholensis Nakai

V. Komarovii Monjuschko 水蔓菁

(V. spuria non L.)

V. paniculata L.

*V. spicata L.

V. Anagallis-aquatica L. 水苦蕒，水高苣

V. Stelleri Pall.

V. alpina L.

V. ciliata Fisch.

Veronicastrum sibiricum (L.) Hara.

(Veronica sibirica L.)

(Leptandra sibirica [L.] Nuttall)

(V. virginica Hemsl. non L.)

(V. virginica var. sibirica [L.] Nakai)

var. glabrum (Nak.) Nakai

(V. sibirica var. glabra Nakai)

Rehmannia glutinosa (Gaertner) Libosch. 地黄，野地黄，婆婆奶，老鸛喝酒

R. Piasezkii Maxim.

Melampyrum roseum Maxim. 山蘿花

Omphalothrix longipes Maxim.

Phtheirospermum japonicum (Thbg.) Kanitz 小盐竈草，松蒿
(P. chinensis Bge.)

Euphrasia tatarica Fisch.

(E. officinalis non L.)

(E. officinalis L. var. tatarica [Fisch.] Bth.)

E. pectinata Ten.

E. Regelii Wettst.

Odontites serotina (Lamak.) Reichenb. 阳花

(Bartsia Odontites Huds.)

Pedicularis myriophylla Pall.

var. purpurea Bge.

P. Tatarinowi Maxim.

P. Provosti Fr.

P. spicata Pall.

P. verticillata Wahlb.

P. striata. Pall.

P. resupinata L. 馬先蒿

var. pubescens Komar.

?P. tristis L.

P. Oederi Vahl var. heteroglossa Prain

(P. versicolor non Wahlenb.)

P. rhinanthoides Schrenk var. labellata (Jacquem.) Prain

(P. labellata Jacq.)

P. Artselaeri Maxim.

P. longiflora Rudolph var. typica Li.

P. chinensis Maxim.

(P. armata non Maxim.)

(P. longiflora Hce. non Rud.)

Bignoniaceae (257) 紫葳科

Incarvillea sinensis Lamk. 角蒿，羊角草

*Campsis chinensis (Lam.) Voss. 凌霄，紫葳

(Tecoma grandiflora [Thbg.] Loisel.)

Catalpa Bungei C. A. Meyer 楸

*C. ovata Don. 梓

*C. Speciosa Warder 黃金树

Pedaliaceae (285) 胡麻科

*Sesamum indicum L. 胡麻，脂麻

Trapella sinensis Oliv. 鉄菱角，蒋米

Orobanchaceae (254) 列当科

Orobanche Pycnostachya Hce.

O. coerulescens Steph.

f. pekinensis G. Beck

f. ombrocharis (Hance) G. Beck.. 列当

(O. ombrocharis Hce.)

f. typica G. Beck

(O. caneccens Bge. non Presl)

(O. alba-lanata Steud.)

(O. ammophila C. A. Meyer)

O. cernua Loefl.

?O. macrolepis Turcz.

Lentibulariaceae (255) 貍藻科

Utricularia vulgaris L. 貍藻

U. intermedia Hayne.

Phrymaceae (263) 透骨草科

Phryma leptostachya L. 透骨草

Plantaginaceae (242) 車前科

Plantago asiatica L. 車前

(P. major non L.)

P. asiatica L. var. laxa Pilger.

(P. hostifolia Nakai & Kitagawa)

P. depressa Willd.

var. eudapressa Ganjeschin

P. major L. ssp. pleiosperma Pilg. var. sinuata (Lam.) Decne.

Rubiaceae (233) 茜草科

Leptodermis oblonga Bge.

(L. chanetii Lévl.)

Asperula Maximowiczii Komarov

(A. Platygalium Maxim. β pratensis Maxim.)

Galinm boreale L.

var. vulgare Turcz.

G. verum L. var. asiaticum Nakai 蓬子菜

(var. luteum Nakai)

var. trachycarpum A. DC.

G. linearifolium Turcz.

G. pauciflorum Bge. 猪殃殃，拉拉藤

(G. Aparine L. var. pauciflorum [Bge.] Fr.)

(Asperula Aparine non Bess.)

?G. Mollugo L.

G. spurium L.

var. echinospernum (Wallr.) Hayek

(G. Vaillantii DC.)

G. oliganthum Nakai & Kitagawa

G. paradoxum Maxim.

G. dahuricum Turcz.

G. Bungei steudel

(G. gracile Bge. non Wall.)

(G. miltiorhizum Hce.)

G. saturejaefolium Trev.

Rubia chinensis Regel & Maack

R. cordifolia L. 茜草

(R. Akane Nakai)
(R. tinctorium L. var.)
var. pratensis Maxim.

Caprifoliaceae (234) 忍冬科

Sambucus foetidissima Nakai 接骨木，公道姥
(S. racemosa non L.)
S. Williamsii Hce.
(S. racemosa non L.)
*Viburnum fragrans Bge. 探春
V. schensianum Maxim.? 欒木，土欒条，冬欒条
V. burejaeticum Regel et Herd.
V. mongolicum (Pall.) Rehd. 土連材
(V. dahuricum Pall.)
(V. tomentosum non Thbg.?)
V. Sargentii Koehne.
(V. opulus non L.)
f. calvescens Rehd.
var. Puberulum (Komarov) Kitagawa.
Triosteum pinnatifidum Maxim.
var. podocarpa Fr. ap. Rehd.
Abelia biflora Turcz. 六道木
(A. Davidii Hce.)
var. minor Nakai
A. adenotricha Hce.
A. Dielsii (Graebn.) Rehd.
A. zanderi Rehd.
Lonicera tanguticaMa xim.
L. saccata Rehd.
L. hopeiensis Chien
(L. saccata Has?)

L. microphylla Willd.

L. Kungeana Hao.

L. Coerulea L. var. edulis (Turcz.) Regel.

L. koehpea Rehd.

L. vesicaria Komarov.

L. phyllocarpa Maxim.

L. hispida (Steph.) Pall.

L. pekinensis Rehd.

L. Elisae Franch.

L. Tatarinowii Maxim. 山麻皮

L. Maximowiczii (Rupr.) Maxim.

L. Maackii Maxim.

L. japonica Thbg. 金銀花，忍冬

var. repens Rehd.

L. chrysantha Turcz.

var. crassipes Nakai

L. scabrida Fr.

L. Serreana Hand.-Mzt.

Weigela florida (Bge.) A. DC. 花楊櫨，錦帯花，山脂麻，錘子，半边月

(Calysphyrum florida Bunge)

(Diervilla florida S.et Z.)

var. pauciflora Nakai.

var. alba (Rehd.) Hao

Adoxaceae (234) 五福花科

Adoxa Moschatellina L. 五福花

Valerianaceae (236) 敗醤科

Valeriana dubia Bge.

(V. heterophylla Turcz.)

V. tianshanica Krey.

(V. officinalis non L.)

V. Fauriei Briq.

(V. nipponica Nakai)

Patrinia rupestris (Pall.) Juss.

P. villosa (Thbg.) Juss. 胭脂麻，攀倒甑

(P. ovata Bge.)

P. scabra Bge. 敗酱

P. heterophylla Bge.

P. scabiosaefolia Fisch. 孤儿菊，黃花龙芽

(P. hispida Bge.)

Dipsacaceae (237) 山蘿卜科

Dipsacus japonicus Miq. 續断

Scabiasa Scabitschiliensis Griin.

(Scabiosa mansenensis Nakai)

(S. comosa non Fisch.)

(S. Fischeri non DC.)

S. hopeiensis Nakai

Cucurbitaceae (103) 葫蘆科

Actinostemma lobatum (Maxim.) Maxim

(Mitrosicyos racamosum Maxim.)

var. genuinum Cogn.

A. racemosum (Maxim.) Maxim. 盒子草

(A. lobatum vac. racemosum Makino)

Bolbostemma paniculatum (Maxim.) Franquet

(A. paniculatum (Maxim) Maxim.)

(Mitrosicyos paniculatum Maxim.)

Thladiantha dubia Bge. 赤雹儿

Schizopepon bryoniaefolius Maxim.

*Momordica Charantia L. 苦瓜

*Luffa cylindrica (L.) Roem. 絲瓜

*L. acutangula (L.) Roxb. 番瓜，八角絲瓜

*Citrullus vulgaris Schrad. 西瓜

*Cucumis sativus L. 黄瓜

*C. Melo L. 香瓜，甜瓜

*Benincasa hispida (Thbg.) Cogn. 冬瓜

*Lagenaria siceraria (Molina) Stanley 葫蘆

(L. vulgaris Ser.)

(L. leucantha [Duch.] Rusby)

var. clavata 瓠

Trichosanthes Kirilowii Maxim. 括樓

*Cucurbita moschata Duchesne 倭瓜

*C. Pepo L. 西葫蘆，攪絲瓜

*C. maxima Duchesne 北瓜，大餃瓜，南瓜，番瓜

Campanulaceae (244) 桔梗科

Campanula Punctata Lamk.

Adenophora elata Nannf. f. verticillata Kitagawa.

A. coronata (Ker) A. DC.

A. stenanthina (Ledeb.) Kitagawa

(A. marsupiiflora Fisch.)

A. divaricata Fr. & Sav. var. mandshurica (Nakai.) Kitagawa.

(A. mandshurica Nakai)

A. Nystroemii Nannf.

A. Paniculata Nannf. 細叶沙参

var. pilosa Kitagawa.

A. pereskiaefolia (Fisch.) G. Don.

(A. latifolia Fisch.)

A. tetraphylla (Thbg.) Fisch.

(A. verticillata [Pall.] Fisch.)

A. remotiflora Miq 荠苨

A. trachelioides Maxim.

(A. Isabellae Hemsl.)

A. polyantha Nakai.

(A. scabridula Nannf.)

var. viscida Tsoong

(sub. A. scabridula Nannf.)

var. media Kitag.

var. scabricalyx Kitagawa.

A. tricuspidata (Fisch.) A. DC.

A. Wawreana A. Zahlbr.

f. oligotricha Kitagawa.

A. Serreana Nannf.

A. Polymorpha Ledeb.

var. Gmelini (Fisch.) Trantv.

var. denticulata (Fisch.) Trantv.

A. Lamarckii Fisch.

Codonopsis glaberrima Nannf.

C. lanceolata (S. et Z.) Bth. et HK. f. 四叶参，羊乳，土沙参（药）

C. pilosula (Franch.) Nannf. 党参

(Campanumaea pilosula Fr.)

Platycodon glaucum (Thbg.) Nakai 桔梗

(P. grandiflorum [Jacq.] A.DC.)

Wahlenbergia homallanthinum A. DC.

Compositae (239) 菊科

Eupatorium Lindleyanum DC. 白头婆

var. trifoliolatum Makino.

(E. Kirilowii Turcz.)

E. japonicum Thbg. 澤兰

Solidago Virga-aurea L. var. leiocarpa (Bth.) A. Gray
一枝黃花

*Callistephus chinensis (L.) Nees 翠菊，江西腊
(C. hortensis cass.)

Asteromaea integrifolia (Turcz.) Loesn. 野粉团儿
(Calimeris integrifolia Turcz.)
(Aster holophyllus Hemsl.)
(A. pekinensis [Hance] Kitagawa (1935) Chen)

A. Lautureana (Debx.) Hand.-Mzt. 六月菊
(Boltonia Lautureana Debx. [1876])
(Kalimeris Lautureana [Debx.] Kitam. [1937])

A. mongolica (Fr.) Kitamura.
(Aster mongolicus Fr.)
(Kalimeris mongolicus [Fr.] Kitam. [1937])

Aster hispidus Thbg. 狗娃花
(Heteropappus hispidus Less.)
(H. decipiens Max.)

A. alpinus L.
ssp. dolomiticus (Beck.) Hayek.
(var. dolomiticus Beck.)

A. altaicus Willd.铁桿蒿
var. millefolius (Van.) Hand-Mzt.

A. fastigiatus Fisch. 女菀

A. scaber Thunb. 东风菜
(Biotia discolor Max.)

A. tataricus L. f. 紫菀
var. robustus Nakai

A. Tripolium L.

A. ageratoides Turcz. 鷄儿腸

(A. trinervius Roxb.)
(A. Glehnii non Schmidt)
var. laticorymbus (Van.) H.-M.
var. adustus Maxim.
var. heterophyllus Maxim.
var. ovatus Hand.-Mzt.
A. flaccidus Bge.
A. Vilmorinii Fr.
(A. tibeticus non HK. f.)
Brachyactis latisquamata (Maxim.) Kitag.
(Erigeron latisquamata Maxim)
B. ciliata (Ledeb.) Ledeb.
(B. linearifolia C. Winkl)
(Erigeron ciliatusLedeb.)
Erigeron canadenses L. 小飞蓬
E. acre L.
(E. Kamtschaticus DC. var. hirsutus Ling)
E. Kamtschaticus DC.
var. mandshuricus (Kom.) Koidz.
Leontopodium leontopodioides (Willd.) Beauverd.
(Antennaria Steetziana non Turcz.)
(L. sibiricum Cass.)
(L. alpinum non Cass.)
(Antennaria leontopodina DC.)
L. japonicum Miq. var. Xerogenes H.-M.
L. Kamtschaticum Komarov.
(L. linearifolium H.-M., non Turcz.)
(Gnophalium Chanetii Levl.)
L. Palibinianum Beauverd

(L. conglobatum H.-M. non Turcz.)

L. Smithianum Hand.-Mzt.

Anaphalis Hancockii Maxim.

(A. Bodinieri Fr.

(A. triplinervis Hance., Maxim. non Bth.)

A. sinica Hance

(A. chanetii [Lévl.] Lévl.)

(Gnaphalium chanetii Lévl. [1913])

Gnaphalium uliginosum L. 鼠麴草，白头翁

G. multiceps Wall.

Inula salicina L. ssp. asiatica (Kitamura) Kitagawa.

I. linariaefolia Turcz.

(I. Britt. var. linariaefolia Regel)

I. britannica L.

(I. repanda Turcz.)

(I. salicina Bge.)

(I. Br. var. sublanata Komarov)

var. japonica (Tubg.) Franch. & Sav. 旋复花，二月菊

(I. britannica var. chinensis [Rupr.] Regel.)

(I. britannica var. ramosa Kom.)

(I. chinensis Rupr.)

I. salsoloides (Turcz.) Ostenf.

(I. ammophila Bge.)

Carpesium cernuum L. 烟管头草

Adenocaulon himalaicum Edgew. 和尚菜

(A. adhaerescens Maxim.)

Xanthium japonicum Widd. 苍耳、葈耳

(X. strumarium non L.)

X. sibiricum Patrin ex Widder var. subinerme (Winkl.)

Widd.

Siegesbeckia pubescens (Makino) Makino 豨薟

(S. orientalis L., P. P.)

S. glabrescens (Makino) Makiuo.

Eclipta alba (L.) Hassk. 醴腸

(E. thermalis Bge.)

var. marginata (Hassk.) Fr.

Bidens tripartita L. 狼把草

var. repens (D. Don) Sherff.

B. biternata (Lour.) Merr. et Sherff.

B. parviflora Willd.

B. pilosa L. 鬼鍼草

B. bipinnata L. 婆婆針

B. cernua L.

var. radiata (DC.) Ledeb.

Zinnia peruviana (L.) L.

(Z. pauciflora L.)

*Z. elegans L. 百日草

*Helianthus annuus L. 向日蓮

*H. tuberosus L. 菊芋, 鬼子薑

Achillea sibirica Ledeb. 蓍草, 一枝蒿

(A. mongolica Fisch.)

(A. ptarmicoides Maxim. var. discoidea Regel)

A. Ptarmica L.

A. Subcartilaginea (Heim.) Heim.

(Achillea sibirica Ledeb. ssp. subcartilaginea Heim.)

A. sinensis Heimerl.

A. Millefolium L.

Matricaria limosa (Maxim.) Kudo.

(M. Chamomilla non. L.)

(M. inodora non L.)

Chrysanthemum oreastrum Hce.

(C. bellum Griin ex Kitamura)

C. lavandulaefolium (Fisch.) Makino 野菊

(Pyrethrum indicum var. lavandulaefolium Fisch.)

f. jucundum (Nakai & Kitagawa) Kitagawa

(Ch. jucundum Nakai & Kitagawa) Kitagawa.

var. glabriuscula (Ling) Kitamura

C. bellum Griin.

(C. Namikawanum Kitamura

C. Zawadskii Herbich ssp. latilobum (Maxim.) Kitagawa.

(C. morifolium Ram. var. gracile Hemsl.)

C. boreale Makino

C. sibiricum Turcz. var. acutilobum (DC.) Nakai 九折草 野菊花，石戶谷勉

var. Gmelini (Turcz.) Nakai

var. sinoalpinum Nakai.

C. indicum L.

(Pyrethrum indicum Cass.)

var. acutnm Uyeki.

*C. morifolium Ramatuelle 菊花

(C. sinense Sebine)

(Pyrethrum sinense Fr.)

*C. coronarium L. 茼蒿

C. Davidii (Krasch.) Wu

(C. parviflorum Griin.)

(Tanacetum trifidum Fr.)

(T. Davidii [Fr.] Krasch.)

C. achilleoides (Turcz.) H. -M.

(Tanacetum achilleoides DC.)

Filifolium sibiricum (L.) Kitam.

(Tanacetum sibiricum L.)

(Artemisia sibirica Maxim.)

(Chrysanthemum trinioides Hand.-Mzt.)

Centipeda minima (L.) A. Br. et Ascher. 石胡荽

Crossostephium chinense (L.) Makino 蕲艾 千年艾

Artemisia anethifolia Weber f. shansiensis Pamp.

A. Frigida Willd. 蒙古茵陈

var. Willdenowiana Bess.

A. Sieversiana Ehrhard ex Willd. 白蒿

(A. sparsa Kitagawa)

f. genuina Pamp.

A. scoparia Waldst. et Kit. 臭蒿

f. villosa (Korsh.)

A. capillaris Thunb. var. acaulis Pamp. 茵陈蒿

A. pubescens Ledeb.

(A. campestris non L.)

A. subdigitata Mattf. var. intermedia (Pamp.) Kitagawa 牛尾蒿

(A. Dracunculus L. var. Sub. [Mattf.] Pamp. f. intermedia Pamp.)

A. Giraldii Pamp.

A. japonica Thunb. 青蒿

var. japonica F. typica Nakai subf. laxiflora (Nakai) Pamp.

var. macrocephela Pamp. f. chinensis Pamp.

A. eriopoda Bge. 牡蒿

(A. japonica var. j. f. eriopoda (Bge.) Pamp.)

A. pectinata Pall. 蒿子

A. annua L. 黃花蒿

(f. genuina Pamp.)

A. caruifolia Buch. Ham. var. typica Pamp. 廪蒿, 青蒿, 野菊花

A. laciniata Willd.

A. tanacetifolia L.

(A. macrobotrys Ledeb.)

(A. laciniata var. macrobotrys [Ledeb.] Maxim.)

(A. latifolia Ledeb.)

var. glabriuscula (Ledeb.) Kitagawa

(A. laciniata Willd var. glabriuscula Ledeb. f. genuina Pamp.)

var. laxa (Bess.) Kitagawa.

A. verbenacea (Komarov) Kitagawa 野艾蒿

(A. simulans Pamp.)

(A. mongolica Fisch. var. verbenacea [Kom.] Pamp. [1930] f. viscosa Pamp.)

A. Argyi Lévl. et Van. 家艾

(A. vulgaris non L.)

(A. vulgaris var. incanesens Fr.)

A. lavandulaefolia DC.)

(Art. Argyi Lévt. Zvan var. gracilis Pamp.)

A. sacrorum Ledeb.

(A. sacrorum Ledeb. var. latiloba Ledeb.)

(A. sacrorum var. intermedia Ledeb.)

(A. sacrorum ssp. manchurica Kitagawa)

ssp. laxifora (Nakai) Kitagawa (var. major Pamp.)

f. incana (Bess.) Pamp.

f. minor (Freyn) Pamp.

f. intermedia (Ledeb.) Pamp.

f. Smithii Pamp.

A. vestita Wall.

(A. sacrorum Ledeb. var. minor Ledeb.)

var. discolor (Komarov) Kitagawa.

(A. sacrorum var. minor f. discolor Kom.)

A. codonocephala Diels 苦蒿

(A. umbrosa Pamp.)

(A. shansiensis Pamp.)

A. Feddei Lévl & Van.

(A. lavandulaefolia var. Feddei Pamp.)

(A. lavandulaefolia var. pekinensis Pamp.)

(A. chrysolepis Kitagawa.

A. stolonifera (Maxim.) Komarov.

A. integrifolia L. 柳叶蒿

(A. quadriauriculata Chen.)

A. selengensis Turcz. 蒌蒿, 白蒿

A. glauca Pall.

A. Kirilowii Turcz.

(A. desertorum var. Kirilowii Maxim. Sub. A. japonica)

A. Besseriana Ledeb.

A. Chiarugii Pamp.

(A. Argyi x A. sp.)

A. Serreana Pamp.

A. mongolica Fisch.

(A. rubripes Kitag. non Nakai)

A. princeps Pamp.

(A. parvula Pamp.)

(var. typica Pamp. f. dentata Pamp.)

A. anethoides Mattf.

A. Halodendron Turcz.

A. igniaria Maxim. 白艾，蔪艾

A. Clemensiana Pamp.

(A. mongolica var. verbenacea)

A. brachyloba Fr.

(A. Licentii Pamp.)

A. Moxa (Bess.) DC.

A. Iwayomogi Kitam.

(A. srcrorum Ledeb. ssp. laxiflora [Nakai] Kitagawa)

A. viridisquama Kitam.

Emilia sagittata (Vahl) DC. 一点紅

(E. flammea Cass.)

Tussilago Farfara L. 款冬花

Ligularia xanthotricha (Griin.) Ling

(Cacalia xanthotricha Griin.)

L. sibirica (L.) Cass. 橐吾，大馬蹄

(Senecio Ligularia HK. f.)

(Senecio Sibiricus clarke)

var. speciosa (Schrad.) DC.

(L. Fischeri [Ledeb.] Turcz.)

L. dentata Hara.

(L. clivorum Maxim.)

L. intermedia Nakai.

L. mongolica DC.

(Senecio mongolicus S.-B.)

L. hopeiensis Nakai

L. stenocephala (Maxim.) Matsum. et Koidz.

var. sinica Nakai 小馬蹄

(L. sinica Kitag.)

Cacalia aconitifolia Bge. 兔儿伞

(Senecio aconitifolia Turcz.)

(Synlilesis aconitifolia Maxim.)

C. hastata L. ssp. orientalis Kitam.

(Senecio sagittatus Schulz-Bip.)

(C. hastata L. var. glabra Ledeb. var. pubesceus Ledeb.)

Senecio flammeus DC.

(S. campestris var. oligantha Fr.)

S. aurantiacus (Hoppe) DC.

S. paluster (L.) Hook.

S. integrifolius (L.) Claiville.

(S. campestris non DC.)

var. flavus (Rouy) Briq. et Cav.

ssp. capitatus (Wall.) Cufod.)

ssp. campester (Retz.) Briq. et cav. var. pratensis (Jacg.) Nellr.

var. tomentosus (Fr.) (Lam. et DC.) Brig. et Cav.

S. pseudosonchus Vant.

(S. subdentatus [Bge.] Turcz. non Ledeb.)

(S. Pierotii Miq. ssp. subdentatus [Bge.] Kitagawa.)

(Cineraria subdentata Bge.)

S. Fauriei Lévl. & Vant. 狗舌草

(S. campestris Maxim.;

(S. Kirilowi Turcz.)

S. vulgaris L.)

var. dubius (Ledeb.) Fr.

(S. dubius Ledeb.)

S. nemorensis L.

S. argunensis Turcz. 大蓬蒿

S. ambraceus Fisch. ex Turcz. ex DC.

(S. Jacobea L. var. grandiflorus Turcz.)

S. manshuricus Kitamura.

*Calendula officinalis L. 金盏菊

Echinops latifolius Tausch.

(E. dahuricus Fisch.)

(E. pseudosetifer Kitagawa)

Atractylis japonica (Koidz.) Kitagawa.

(A. ovata Thbg. f. ternata Kamarov.)

(A. lancea non Thbg.)

A. chinensis (Bge.) DC. 蒼术

(Acarna chinensis Bge.)

F. erosodentata (Koidz.) H.-M.

(A. erosodentata Koidz.)

(Atractylodes chinensis (Bge.) Kitamura)

(Atractylodes lancea (Thby.) & DC. var. Ch. (Bge.) Kitamura)

var. Loesneri Kitagawa

var. simplicifolia (Loesn.) Kitagawa.

Arctium tomuntosum Schkuhr 牛蒡

(A. Lappa L. var. tomentosum A. Gray)

Carduus crispus L. 飞廉，大蓟

(C. acanthoides L.)

Circium segetum Bge. 刺蓟，刺儿菜，小蓟

(Cnicus segetum Maxim.)

C. setosum (Willd.) Bieberstein.

(Cnicus arvense non Hoffm., Bretschneider)

(C. arvense var. setosum Ledeb.

C. chinense Gardn. et Champ.

(C. lineare Schulz.-Bip. var. uninervium non[Lèvl. et van.] Petrak)

=C. lineare var. laushanense (Kitamura Kitam.

C. Vlassovianum DC. var. viridifolium H.-M.

var. tchefouense (Debx.) Ling

C. pendulum Fisch. ex DC.

C. Japonicum DC.

(Cnicus Japonicui Maxim.)

var. ussuriense (Regel) Kitamura.

(C. Maackii Maxim.)

C. Provosti (Franch.) Petrak.

C. Leo Nakai et Kitagawa.

(C. pinnatibracteatum Ling.)

Synurus deltoides (Ait.) Nakai 山牛蒡, 火生草

(Serratula atriplicifolius [Trev.] Bth. & HK. f.)

var. Hondae (Kitag.) Kitag.

(Synurus Hondae Kitag.)

Hemistepta lyrata (Bge.) Bge. 泥胡菜

(Cirsium lyratum Bge.)

(H. carthamoides [Buch.-Ham.] O. Kuntze)

(Aplotaxis Bungei DC.)

Saussurea iodostegia Hce.

S. glomerata Poir.

(S. amara non [L.] DC.)

S. Chowana Chen

S. paleata Maxim.

(S. Corymbosa Chen)

S. parviflora (Poir.) DC.

var. cinerascens H.-M.

S. Bullockii Dunn.

S. denticulata Ledeb. var. chinensis (Maxim.) Ling.

(S. salicifolia non DC.)

(S. alpina var. leucophylla Hce.)

(S. salicifolia var. chinensis Maxim.)

S. firma (Kitagawa) Kitamura.

(S. discolor [Willd.] DC. ssp. elatior [DC.] Kitagawa var. firma [Kitag.] Kitag.)

S. incisa Chen.

S. amurensis Turcz.

S. tunglingensis Chen.

S. obovallata Wall. var. orientalis Diels.

S. calobotrys Diels

S. nivea Turcz.

var. nana (Chen) H.-M.

S. mongolica (Fr.) Fr. 山菠菜

(S. sinuata Komarov var. shansiensis Chen.)

(S. hopeiensis Chen.)

var. rigidior H.-M.

S. ussuriensis Maxim.

var. firma Kitagawa.

S. sclerolepis Nakai et Kitag.

S. Japonica (Thbg.) DC.

var. alata (Chen) Nakai & Kitagawa.

S. Pectinata Bge.

(S. Davidii Fr.)

var. mocrocephala (Fr.) H.-M.

(S. Davidii var. macrocephala Fr.)

S. triangulata Trautv. et Mey.

S. hsiaowutaishanensis Chen

S. serrata DC. var. amurensis Herder

(S. neoserrata Nakai)

S. chinampoensis Lèyl. et Vant.

(S. peipingensis Chen)

Serratula cupuliformis Nakai et Kitag.

(Klasea C. [Nakai & Kitag.] Kitag.)

S. polycephala Iljin.

(Klasea P. [Iljin] Kitag.)

S. centaureoides L.

(Klasea C. [L.] Cass.)

var. microcephala Ledeb

S. coronata L.

(S. manshurica Kitag.)

(Masturcium C. [L.] Cass.)

S. Chanetii Lèvl.

(S. Potanini Iljin)

S. radiata Bieb.

Takeikadzuchia Lomonossowii (Iljin) Kitagawa

(Olgaea Lom. Iljin)

(C. hsiaowutaishanensis [Chen] Ling)

(Synurus diabolica [Kitam.] Kitam.)

Olgaea leucophylla (Turcz.) Iljin.

O. sinensis (Sp. Moore) Iljin.

O. tangutica Iljin (1922)

(O. echinata Ling 1935) （大同）

Rhaponticum uniflorum (L.) DC. 漏卢，鄉头花，大口袋花

(Centaurea monanthos Georgi)

(Leuzea daurica Bge.)

Pertya discolor Rehd.?

Myripnois dioica Bge. 螞蚱腿子

Gerbera Anandria (L.) Sch.-Bip. 大丁草

(Leibnitzia A. (L.) Nakai)

f. vernalis (Fr.) Ling

f. antumnalis (Fr.) Ling

Cichorium Intybus L.

Hypochaeris ciliata (Thbg.) Makino.

(Achyrophorus cilaatus [Thbg.] Schulz-Bip.)

(H. grandliflora Ledeb.)

Picris dahurica Fisch. 枪刀菜

P. hieracioides L.

(P. japonica Thbg.)

ssp. japonica (Thbg.) H.-M.

Sonchus uliginosus Marsh.-Bieb.

(S. arvensis L. var. U. [M.-B.] Trautv.)

S. arvensis L 苣蕒菜，家苣蕒

var. laevipes Koch

S. brachyotus DC.

S. oleraceus L. 濵苦菜

Lactuca indica L. 山萵苣

(L. squarsosa Miq.)

(L. brevirostris Champ.)

(L. amurensis Regel.)

f. runcinato-pinnatifida (Kom.) H.-M.

L. triangulata Maxim.

L. Scariola L. var. sativa HK. f. 萵苣

(L. sativa L.)

L. Raddeana Maxim.

L. tatarica (L.) C. A. Mey.

(Mulgedium tataricum [L.] DC.)

?Sonchus lactucoides Bge.

L. sibirica (L.) Maxim. 紫花苦苣

Ixeris repens (L.) A. Gray.

(L. repens [L.] Bth.)

(L. debilis non Roth.)

I. chinensis (Thbg.) Nakai

(Lactuca chinensis [Thbg.] Mak.)

I. versicolor (Fisch.) DC. 苦菜

(I. chinensis ssp. versicolor Kitamura)

I. denticulata (Houtt.) Stebbins 苦蕒菜

(Lactuca denticulata Maxim.)

(Paraixeris denticulata Nakai f. pinnatipartita Nakai)

(Youngia dentata var. Chinensis Maxim.)

I. sonchifolia (Bge.) Hance

(Prenanthes sonchifolia Bge., non Willd)

var. serotina (Maxim.) Kitagawa

Crepis crocea (Lamk.) Babc.

(Crepis Turczaninowii C. A. Mey.)

C. Pallasii Turcz.

C. chanetii Lévl (1913)

C. taraxacifolia Thuill.

var. Vaniotii Lévl.

Youngia tenuifolia (Willd.) Babc. & Stebbins
(Crepis tenuifolia Willd.)
ssp. tenuicaulis Babc. & Stebbins
Y. japonica (thbg.) DC. 黄鹌菜
(Crepis. Japonica [L.] Bth.)
Prenanthes Tatarinowii Maxim.
(Nabalus Tatarinowii Nakai var. divisa Nakai et Kitagawa)
P. macrophylla Franch.
Hieracium umbellatum L.
var. mongolicum Franch.
H. Krameri Fr. et Sav. 柳菊?
(Hololeion Krameri (Fr. et Sav.) Kitamura
Taraxacum platypecidum Diels
var. angustibracteatum Ling
T. ceratophorum DC.
T. asiaticum Dahlst.
T. mongolicum Hand.-Mzt. 蒲公英
T. cuspidatum Dahlst.
T. sinicum Kitagawa
(T. sinense Dahlst., non DC.)
(T. officinale non L.)
Scorzonera glabra Rupr.
S. radiata Fisch.
S. sinensis Lipschitz et Krasch. 驴鼓嘴
(S. austriaca non Willd.)
S. albicaulis Bge. 鸦葱
S. mongolica Maxim. var. Putjatae C. Winkl.
S. divaricata Turcz.
S. macrosperma Turcz.

MONOCOTYLEDONEAE 单子叶植物

Typhaceae (806) 香蒲科

Typha latifolia L. 水蜡烛，香蒲

(T. orientalis Presl. Bretschneider, Moellendorf)

(T. Shuttleworthii Koch ssp. orientalis Presl ex Graebn.)

T. angustata Bory et Chaub. 蒲，鬼蠟烛，蒹藿

(T. angustata non L.?)

T. minima Funck in Hoppe

(T. angustifolia non L.)

(T. minor Bge. non Sm.)

(T. Bungeana Presl.)

T. Davidiana (Kronf.) H.-M.

(T. Laxmanni Fr. non Lepechin)

(T. Martini Jord. var. Davidiana Pronf.)

Sparganiaceae (307) 黑三稜科

Sparganium affine Schnitzl. 黑三稜

Potamogetonaceae (277, 274, 279) 眼子菜科

Zostera marina L. 大叶藻

Posidonia oceanica (L) Delile 海苦草

Potamogeton crispus L. 菹草，札草

P. cristatus Regel et Maack 小叶眼子菜

P. Tepperi Arth. Benn. 眼子菜，牙齿草，鴨吃草

(P. polygonifolius non Pourr)

(P. distinctus A. Benn.)

P. natans L.

P. pectinatus L. 紅綫儿菹

(var. mongolicus A. Benn., Przewalski)

P. perfoliatus L. var. japonicus Nakai

P. pusillus L. 絲藻，小叶菹

P. malaianus Miq. 箬叶藻，馬屁菹

(P. Gaudichaudii non Cham. et Schlecht.)

(P. sp. nov. Maxim. (1879) 万寿山，Bretachneider 904)

P. heterophylla Schreb.

P. javanicus Hassk.

Ruppia maritima L.

Zannichellia pedunculata Reichenb.

(Z. palustris non L.)

Najadaceae (280) 茨藻科

Najas minor All. 茨藻

N. marina L.

(N. major All.)

(var. μ grosso-dentata Rendle)

Juncaginaceae (272) 三尖草科

Triglochin palustre L. 三尖草，水麦冬

(T. striata non R. et P.)

T. maritimum L.

Alismataceae (268) 澤瀉科

Alisma orientalis (Sam.) Juzepcz. 澤瀉，車古草

(A. Plantago non L.)

(A. Plantago-aquatica non L.)

Sagittaria sagittifolia L.

var. diversifolia Micheli

(S. macrophylla Bge.)

var. sinensis Makino 慈菇

S. trifolia L. 野慈菇

(S. sagittifolia L. var. longiloba Turcz.)

Butomaceae (266) 菝蔢科

Butomus umbellatus L. 菝蔢根

Hydrocharitaceae (262) 白苹科，水鱉科

Hydrilla verticillata (L.) Royle 水王孙，黑藻

Ottelia alismoides Pers. 水車前

Vallisneria asiatica Miki 苦草

(V. spiralis non L.)

Hydrocharis asiaticus Miq. 白苹，馬尿花，水鱉

Gramineae (333) 禾本科

Phyllostachys reticulata (Rupr.) K. Koch. 苦竹，剛竹?

(P. bambusoides S. et Z.)

P. Stauntoni Munro

P. viridiglaucescens A. et C. Riviese.

P. aurea Riv. 人面竹

Briza minor L. 銀鱗茅

Aeluropus littoralis (Gouan.) Parl.

(Cum var. sinensis Debx.)

Brachypodium sylvaticum (Huds.) Beauv.

Festuca ovina L.

F. rubra. L.

F. extremiorientalis Ohwi.

Bromus inermis Leyss.

B. japonicus Thbg. 雀麦

(Brachypodium japonicum Mig.)

Poa pratensis L.

P. attenuafa Trin.

(P. nemoralis L. var. Hce. 1879)

P. annua L. 早熟禾

P. palustris L.

P. sphondylodes Trin. 莓系

(P. linearis Trin.)

var. macerrima Kang.

P. strictula Steud.

(P. sphondylodes Trin. var strictula Koidz)

P. trivialis L.

Leucopoa albida (Turcz.) V. krecz.

(Fertuca sibirica Hack.)?

Glyceria maxima (Hartm) Holmb.

(G. aquatica [L.] Wahl., non [L.] Presl.)

Puccinellia Chinampoensis Ohwi 鋪茅

P. distans (L.) Parl.

(Glyceria distans [L.] Wahl. Atropis d [L.] Griseb.)

(G. Convoluta Fr. non Fries)

P. Hauptiana (Trin.) V. Krecz.

P.tenuiflora (Griseb.) V. Krecz.

(P. manchuriensis Ohwi)

Catabrosa aquatica (L.) Beauv.

Melica Onoei Fr. et Sav.

M. scabrosa Trin. 枪草

M. Turczaninowiana Ohwi

(M. Gmelini Turcz. non Roth.)

(M. nutans Hance.)

M. Virgata Turcz.

M. sinica Ohwi

Diarrhena mandshurica Maxim. 龙常草

(D. japonica non Fr et Sav.)

Diarrhena Yabeana Kitagawa

(D. nekkamontana Honda)

Elytrigia repens (L.) Desv.

(Agropyron repens [L.] Beauv.)

Aneurolepidium Chinense (Trin.) Kitagawa.
(Triticum Ch. Trin.)
(Agropyron Pseudo-agropyron Franch.)
(Elymus Pseudo-agropyron Trin)
(Agropyron Chinense (Trin.) Ohwi
Agropyron Cristatum (L.) Gaertn.
Agropyron strigosum Fr. (Boiss.?)
Roegneria Canina (L.) Nevski
(Agropyrum Caninum Beauv.)
R. ciliaris (Trin.) Nevski.
(Triticum cilire Trin. ex Bge.)
(Brachypodium ciliare Trin.)
(Agropyron ciliare Franch.)
f. eriocaulis Kitagawa
var. lasiophylla (Kitag.) Kitag.
R. semicostata (Steud.) Kitagawa 鵝观草
R. barbicalla (Ohwi) Ohwi
(Agropyron barbicallum Ohwi.)
*Hordeum vulgare L. 大麦
Elymus cylindricus (Fr.) Honda.
(E. dahuricus Turcz. var. cylindricus Fr.)
E. dahuricus Turcz.
(Clinelymus dahuricus [Turcz] Nevski)
E. sibiricns L.
(Clinelymus sibiricus [L.] (Nevski)
*Triticum aestivum L. 小麦
Pappophorum boreale Griseb.
(P. phleoides Turcz.)
(Enneapogon brachystachyus non Stapf.)

Phragmitis Communis Trin. 蘆葦
P. longivalvis Steud.
Eragrostis cilianensis (All.) Link ex Vign-Lut. 画眉草
(E. megastachya [Koel.] Link.)
(E. major Host)
E. ferruginea (Thbg.) Beauv. 知风草
(E. orientalis Trih.)
E. jeholensis Honda.
E. orientalis Trin.
E. pilosa (L.) Beauv.
E. Poaeoides Beauv.
(E. minor Host.)
Eleusine indica (L.) Beauv. 蟋蟀草
Cleistogenes Hackelii (Honda.) Honda.
(C. sarotina non (L.) Keng.)
(Diplachne serotina non (L.) Link.)
(Diplachne sinensis Hauce
(Cleistogenes serotina (L.) Keng var. sinensis (Hanse) Keng)
var. brachyphylla Ohwi)
var. jeholensis (Honda.) Ohwi)
C. songerica (Reshev.) Ohwi.
(C. mutica Keng.)
(C. Chinensis (Maxim.) Keng.)
(Diplachne serotina var chinensis Max.)
C. caespitosa Keng.
C. squarrosa (Trin.) Keng.
Leptochloa Chinensis (L.) Nees 千金子
Leersia japonica Mak.

(Homalocenchrus japonicus.)
L. oryzoides (L.) Swartz 假糠
Zizania caduciflora (Turcz.) H.-M. 茭白, 菰
(Z. latifolia Turcz.)
Tragus Berteronianus Schultes 鎧子草
(Tragus racemosus non Scop.)
(T. tscheliensis Debx.)
Perotis Chinensis Gandoger = ? P. indica (L.) O. Ktze.
Zoysia japonica Steud. 結縷草
(Ostesdemia japonica (Steud.) fitch.)
Arundinella hirta (Thbg.) Tanaka var. Cilita (Thbg.) Koidz. 野枯草
(A. anomala Steud.)
(Chalynochlamis anomala Fr.)
(Panicum Williamsii Hce.)
(P. mandshuricum Max. var pekinense Max.)
Digitaria Ischaemum (Schreb.) Muhlenberg
D. sanguinalis (L.) Scop. var. ciliaris (Retz.) Doell. 馬唐
(D. barbata non Willd.)
var. multinervis (Honda.) Kitagawa.
D. Henryi Rendle.
Eriochloa villosa (Thbg.) Kunth 野黍
Paspalum longipilum Nash 雀稗
Oplmenus undulatifolius (Ard.) Beauv. 縮箬
(O. Compositus Fr. non R. et S.)
Echinochloa colona (L.) Beauv. ?
E. Crus-galli (L.) Beauv.
E. frumentacea (Roxb.) Link 稗
Panicum miliaceum L. 稷, 黍, 糜子

var. ruderale Kitagawa.

(P. trypheron non Schult.)

P. contractum Nees?

Setaria geniculata (Lam.) Beauv.

*S. italica (L.) Beauv. 粟，梁，小米

var. germanica (Beauv.) Richt.

S. lutescens (Weigel.) Hubb. 金狗尾

(S. glauca Beauv.)

S. viridis (L.) Beauv. 狗尾草

var. purpurascens Maxim.?

var. sinica Ohwi.

Pennisetum alopecuroides (S.) Spreng. 狼草尾，莨草

(P. compressum R. Br.)

(P. japonicum Trin.)

P. flaccidum Griseb.

P. glaucum (L.) R. Br. 珍珠粟

(P. typhoideum Rich.)

Pseudoraphis Ukishiba Ohwi.

Isachne globosa (Thbg.) O. Ktze. 柳叶箬

(I. australis R. Br.)

Miscanthus sacchariflorus (Maxim.) Bth. et Hook. f. 荻

M. sinensis Anderss. 芒

var. Purpurascens (Anderss.) { Rendle? / Matsumura.

Imperata Cylindrica (L.) Beauv. 白茅

var. Koenigii (Retz.) { Hackel? / Durand et Schinz.

?Eccoilopus cotulifer (Thbg.) A. Camus.

Spodiopogon sibiricus Trin. 大荻，大油芒

Pollinia speciosa (Debx.) Hack.

(Eulalia speciosa (Debx.) O. Ktze.)
Ischaemum crassipes (Steud.) Thell.
Anthraxon hispidus (Thbg.) Makino 藎草
(A. ciliaris Beauv. ssp. Langsdorffii Hack. var. genuinus Hack.
var. brevisetus (Regel.) Hara
(var. ciliaris [Retz.] Honda)
A. lanceolatus (Roxb.) Hochst. 莠竹
Hemaxthria japonica (Hack.) Roshev. 牛鞭草
(Rottboellia compressa var. japonica Hack.)
(Manisuris compressa non (Steud.) O. Ktze.)
Andropogon Ischaemum L.
(Bothriochloa Ischaemum. (L.) Keng.)
var. songaricus Rupr.
(A. Ischaemum L. var. radicans non Hack.)
A. brevifolium Sev.
A. prionodes Steud., Maxim.
Chrysopogon parviflorus (R. Br.) Benth.
(Capellipedium parviflorum [R. Br.] Stapf.)
(Chrysopogon pictus Hce.)
var. villosulus (Nees.) Kitagawa
(Andropogon micranthus Kunth var. Villosulus Hack.)
(A. assimilis Steud.)
*Sorghum vulgare Pers. 高粱, 蜀黍
(A. sorghum var. vulgaris Hack.)
var. bicolor Hack.
var. nervosum Hack.
Tripogon chinensis (Fr.) Hack.
(Catapodium unilaterale Hce., non Griseb.)

(Nardurus filiformis (Nees.) Steud. var. Chinensis. Fr.)

Crypsis aculeata (L.) Ait.

Cynodon Dactylon (L.) Pers. 狗牙草

Chloris virgata Swartz 虎尾草

(Ch. caudata Trin.)

Beckmannia Syzygachne (Steud.) Fernald. 菵草

(B. erucaeformis non Hast.)

Deschampsia caespitosa (L.) Beauv.?

D. Chinensis Yabe

Trisetum sibiricum Rupr. 蟹鈎草

(T. flavesceus non [L.] Beauv.)

*Avena nuda L. 莜麦

Avena sativa L. 燕麦

A. gracillima Keng.

Helicotrichon leianthum (Keng.) Ohwi.

(Aven laeiantha Keng)

H. schellianum (Hack.) Kitagawa.

(Avena pratensis non L.)

(Avenastrum schellianum (Hack.) Roshew.)

H. tentoense (Honda) Kitagawa.

(Avena tentoensis Honda)

(Avenastrum tentoensis [Honda] Cretz.)

Muehlenbergia japonica Steud.

Phleum alpinum L.

Alopecurus aequalis Sobol. 看麦娘

A. brachystachys Marschal-Bieb.

Polypogon lutosus (Poir.) Hitchcock. 棒头草

Cinna latifolia (Trev.) Griseb.

Calamagrostis epigejos (L.) Roth.

C. pseudo-phragmites (Hall. f.) koeler.

(C. Onoei Fr. & Sav.)

C. Langsdorffii (Link) Trin.

C. arundinacea (L.) Roth 野青茅

(Deyeuxia sylvatica [Schrad.] Kunth)

var. brachytricha (Steud.) Hack.

(C. brachytricha Steud.)

(C. arundinacea var. sciuroides [Fr. & Sav.] Hackel.)

var. latifolia (Rendle) Kitagawa.

(calamagrostis robusta non Fr. et Sav.)

(Deyeuxia sylvatica var. eatifolia Kendle.)

var. robusta Nakai

C. austrojeholensis Honda.

C. Licentiana H.-M.

Deyeuxia elatior Hk. f.

Psammochloa villosa (Trin.) Bor. io Kew Bull.

(Timouria villosa (Trin.) H.-M)

(Lasiagrostis caduceseta Kitagawa)

Agrostis canina L. 小糠草

A. hiemalis (Walt.) Britton

(A. scabra Willd.)

(A. laxiflora R. Br.)

A. perennens (Walt.) Tuckerman

(A. wulingensis Honda)

A. stolonifera L.

A. jeholensis Honda. nom. nud. = A. wulingensis Honda?

A. alba L.

Aristida Adscensionis L.
(A. vulpioides Hcə.)
Achnatherum mongholicum (Turcz.) Ohwi.
(Ptilagrostis mongholica [Turcz.] Griscb.)
A splendens (Trin.) Ohwi 芨芨草，蓆萁草，枳机草
(Lasiagrostis splendens [Trin.] Kunth)
(Stipa splendens (Trin.) Kunth)
Stipa Aliciae Kanitz;
S. Bungeana Trin. 长芒草
S. grandis P. Smirn. 羽茅
(S. capillta Rendle non L.)
S. Pekinensis Hance.
(S. effuas (Maxim.) Nakai)
(S. extremiorientalis Hara)
S. Lessingiana Trin.
S. sibirica (L.) Lam. 醉馬草
S. Krylovii Roshev.
Milium effusum L.
Hierochloe odorata (L.) Beauv.
var. Pubesans Kryl. 香茅
(H. Bungeana Trin.)
(H. borealis Bge. nonRoem. Schlt.)
var. dahurica (Trin.) Ohwi.
(H. glabra L.)
Typhoides arundinacea (L.) Moench. 草蘆
(Phalaris arundinacea L.)
(Digraphis arundinacea [L.] Trin.)
Phalaris canriensis L.
*Oryza sativa L. 稻

Cymbopogon Goeringii (Steud.) A. Camus

Themeda japonica (Willd.) Tanaka 菅

(Anthistiria arguens Fr. non Willd.)

(T. triandra Forsk. var. japonica Makino)

f. geabrior Kitagawa

*Zea Mays L. 王黍蜀，老玉米，包米

*Coix Lachryma-Jobi L. 薏苡，菩提珠

Koeleria gracilia Pers.

(K. caistata non (L.) Pers.) 落

Cyperaceae (332) 莎草科

Lipocarpha microcephala (R. Br.) Kunth 湖瓜草

Cyperus procarus Rottb.

C. rotundus L. 香附子

C. glomeratus L.

C. Iria L. 荊三稜，蒚草

f. chrysomelinus (Link) Kiik.

var. parviflorus (Nees) Miq.

(C. microiria Stend.)

C. amuricus Maxim.

var. japonicus Mig.

(C. japonicus Makino, C. Textori Miq. 蚊屋吊草)

(C. amuricus Maxim. var. subiriodes Kiikenth.)

var. laxa Nakai.

C. fuscus L. f. virescens (Hoffm.) Vahl.

C. difformis L.

C. michelianus (L.) Link.

(Scirpus Michelianus L.)

(Dichostylis Micheiana (L.) Nees.)

var. nipponicus (Fr et Sav.) Kiik.

(C. nipponicus Fr & Sav.)

(C. pygmaeus non Rottb., Dichostylis ?)

C. serotinus Rottb.

(C. montii L. f.)

C. pannonicus Jacq.

C. globosus Allioni.

var. E strjctus (Roxb.) C. B. Clarke.

(C. complanatus Presl)

C. sanguinolentus Vahl.

(C. Eragrostis Vahl)

f. rubromarginatus (Schrenk) Kiikenth.

var. Korshinskii (Meinch.) Kiik

C. brevifolius (Rottb.) Hassk. 水蜈蚣?

(Kyllinga colorata [L.] Druce)

(K. brevifolia Rottb.)

Bulbostylis barbata (Rottb.) Kunth.

Kobresia yosurmoides (Vill.) Fiori et Paoletti.

(Cobresia Bellardii [All.] Degl.)

K. filifolia (Turcz.) Meinsh.

(K. capillifolia (Dscne.) C. B. Clarke var. filifolia (Turcz.) Kiikenth.)

K. pygmaea Clarke var. curvispica Kukenth.

K. Royleana (Nees) Boeck.

Blysmus compressus (L.) Panz. 寸草

Scirbpus triqueter L. 藨草

(Schoenoplectus triqueter [L.] Palla)

S. maritimus L. 地栗

var. affinis (Roth) C. B. Clarke.

S. lacustris L.

S. Tabernaemontani C. G. Gmelin 莞
(Schoenoplectus Tabermaemontani [Gmel.] Palla)
(S. lacustris L. var. Tabernaemontani Doell)
S. carinatus Smith.
S. hotarui Ohwi 螢藺
(S. erectus non Poir.)
(S. juncoides non Roxb.)
S. americanus Pers.
S. litoralis Schrad.
S. orientalis Ohwi.
S. sylvaticus L. var. swbradicans Kiik.
(S. radicans non Schkukr.?)
S. campestris Britt.
S. divaricatus Ell ?
S. radicans Schkuhr.
Trichophorum schansiense. H.-M.
Heleocharis acuminata (Muehl.) Nees.
*H. dulcis (Burm.) Trin 荸薺
(Eleocharis plantaginea R. Br.)
(E. tuberosa Schultes.)
H. palustris (L.) R. et S.
(Eleocharis palustris [L.] Brown)
H. uniglumis (Link) Schultes 沼針藺
H. pauciflorus (Lightf.) Link.
(Scirpus pauciflorus Lightf.)
H. Wichurai Boeck.
(H. tetraquetra non (Nees) Boeck.)
(Scirpus petasatus Maxim.
*H. acicularis (L.) R. Br. 牛毛毡，松叶藺

Fimbristylis dichotoma (L.) Vahl.

(F. annua [All.) Roem. et Schult.)

F. subbispicata Nees et Meyen 水葱

F. diphylla (Retz.) Vahl 飄拂草

(F. ovalis Nees)

F. miliaceae (Thbg.) Vahl.

F. Stauntoni Debx. et Fr.

Carex rupestris Allioni.

C. argunensis Turcz.

C. Onoei Fr. var. macrogyna Tang.

C. incurva Lightf.

C. stenophylla Wahl.

C. enervis C. A. Meyer.

C. stenophylloides V. Krecz.

(C. stenophylla var. pellucida Litw.)

C. rigescens (Fr.) Krecz.

C. duriuscula C. A. Meyer 羊胡草

(C. stenophylla non Wahl.)

C. lithophila Turcz.

(C. intermedia non Gooden.

C. neurocarpa Maxim.

C. leiorrhyncha C. A. Meyer

C. Kobomugi Ohwi 篩草

C. remotiuscula Vahl.

(C. remotaeformis Kom.)

(C. remota L. ssp. Rochebruni Fr. & Sav. var. remotaeformis [Kom.] Kiikenth.)

C. Thunbergii Steud.

C. caespitosa L.

(C. vulgaris Fries.)

(C. Goodenowii J. Gag)

C. heterolepis Bge.

(C. Trappistarum Fr.)

C. forficula Fr. et Sav. var. melinacra (Fr.) Kiik.

C. forficula Fr. et Sav. var. nothoides Tang

C. Lehmannii Drej.

C. Augustinowic zii Meinsh.

C. Hancockiana Maxim.

C. Peiktusani Komarov.

C. Serreana H.-M.

(C. atrata ssp. pullata var. subgracilenta Kiikenth. pp.)

C. oligantha Steud.

C. jaluensis Komarov.

C. amgunensis Fr. Schmidt.

C. leucochlora Bge. 青管

(C. breviculmis non R. Br.)

f. longearistata (Kiik.) Kitagawa.

C. capilliformis Fr. var. major Kiikenth.

(C. tenuissima non Boott)

C. polyschoena Lévl. et Van.

(C. pisiformis Boctt var. polyschoena Kukenth.)

C. pediformis C. A. Mey. = C. kirilawl Turcz.

C. lanceolata Boott

var. subpediformis Kiienth.

C. nanella Ohwi

C. humilis Leysser.

C. quadriflora (Kiik.) Ohwii

C, ussuriensis Kom.

C. sideroshicta Hce. 崖櫻

C. atrofusca Schkuhr.

C. coriophora Fisch. & Meyer.

C. macrogyna Turcz.

var. magnoutriculata Tang.

C. capillaris L. forma major Drej.

var. parvirostris Kiikenth.

var. pohuanensis Y. Yaber

C. Takenakai Nakai.

C. bostrychostigma Maxim.

C. Tangii Kiik.

C. Arnellii Christ.

C. dispalata Booth.

C. japonica Thbg.

C. planiculmis Komarov.

(C. japonica Thbg. var. chlorostachya non (Don) Kiik.)

C. chinensis Retz.

C. longerostrata C. A. Mey.

C. egens Levl. & Van.

(C. filipes Fr. & Sav. var. Oligostachys (Meinsh.) Kiik.

C. cabricormis Meinsh.

C. vesicata Meinsh.

(C. vesicaria non L.)

C. pumila Thbg.

C. heterostachya Bge. non. Torr. er Desv. 黑穗草, 大羊胡草

(C. Bungeana Debx.)

(C. nutans Host Le-shan-yüan. Bretschucider, ex

Maxim)

(C. nutaus f. melanostachya Fr. non Marsh.-Bieb.)

C. Tangiana Ohwi

C. orthostachys C. A. Meyer

(C. aristata R. Br. var. orthostachys Clarke, p.p.)

C. Raddei Kük.

(C. aristata ssp. R. Kiik.)

C. drymophila Turcz.

(C. aristata var. orthostachvs non Clarke)

C. decurticaulis Ohwi

C. ovoidoconica Ohwi

C. cranaocarpa Nelmes

(aff. C, hirtella Drej.)

C. Licentii Nelmes

(aff. C. Karoi Fregn.

C. panicea L. 龙泉寺 Bunge

Palmaceae (315) 棕櫚科

*Trachycarpus Fortunei (Hk. f.) H. Wendl. 棕櫚稀碼棕)

(T. cxcelsa Wendl.)

Araceae (302) 天南星科

Acorus Calamus L. 白菖蒲

(A. asiaticus Nakai et Kitagawa)

A. gramineus Ait. 石菖蒲

(A. Tatarinowii Schott)

*Colocasia antiquorum Schott var. esculenta (L.) Schott

Typhonium giganteum Engl. 独脚蓮, 独角蓮, 北支白附子 (葯)

T. Stoliczkac Engl.

Arisaema consanguineum Schott 山包米

(A. Tatarinowii Schott.)
f. latisectum Engl.
A. amurense Maxim.
var. serratum Nakai
var. violaceum Engl.
Pinellia ternata (Tebg.) Breit 半夏
(Arum macrourum Bge.)
(Pinellia tuberifera Tenore)
var. vulgaris Engl.
var. Giraldiana Engl.
var. subpandurata (Engl.) Engl.
P. pedatisecta Schott
(P. Wawrae Engl.)
Lemnaceae (307) 浮萍科
Lemna minor L. 浮萍
L. trisulca L. 品字藻
Spirodela polyrrhiza (L.) Schleiden 水萍，浮萍、紫背浮萍
Eriocaulaceae (298) 谷精草科
Eriocaulon nudicuspe Maxim.
E. alpestre Hk. f. & Thoms. var. robustins Maxim
Commelinaceae (281) 鴨跖草科
Commetina communis L. 鴨跖草
C. benghalensis L.
C. Martyrum Levl.
C. undulata R. Br.
Murdannia Keisak (Hassk.) H.-M. 水竹叶
(Aneilema Keisak.)
Streptolirion volubile Edgw.
Pontederiaceae (297) 雨久花科

Monochoria Korsakowii Regel et Maack 雨久花
M. vaginalis Presl 鴨舌草
M. pauciflora (Bl.) Kunth

Juncaceae (228) 灯心草科
Juncus bufonius L.
J. gracillimus (Buch.) V. Krecz. ei Gontscharov
(J. bulbosus non L.)
(J. compressus non Jacq.)
?J. Gerardii Loisel.
(J. bulbosus non L.)
J. decipiens (Buch.) Nakai 灯心草, 石龙芻
(J. effusus non L.)
J. lamprocarpus Ehrh. var. senescens Bunh.
J. triglumis L.
J. Hancockii Hance?
Luzula parviflora (Ehrh.) Desv.
L. Pallescens (Wahl.) Besser
L. multiflora (Retz.) Lej. 地楊梅
(L. campestris non (L.) DC.)
L. oligantha Samuelss.
(L. compestris (L.) DC var. pauicflora Buchen.)

Liliaceae (294, 298, 307) 百合科
Zygadenus sibiricus (L.) A. Gray
Veratrum nigrum L. 藜蘆
V. album L.
Tricyrtis puberula Nakai & Kitagawa 油点草
(T. villosa Fr.)
(T. pilosa K. krause)
Anemarrhena asphodeloides Bge. 知母

Hosta plantaginea (Lam.) Aschers. 玉簪,玉寸棒,玉春棒
(Funckia subcordata Spreng.)
Hemercoallis minor mill. 黃花菜
H. fulva L.萱草
Gagea pauciflora Turcz.?
Allium macrostemon Bge. 野蒜
(A. uratense Fr.)
(A. chinense wright non Don.)
(A. chanetii Lévl.)
A. Victorialis L. 茖葱
(var. asiaticum Nakai)
A. japonicum Fr. et Sav. 山蒜, 小蒜
A. condensatum Turcz.
*A. odorum L.
A. subangulatum Regel
A. sacculirerum Maxim. (ex Wright)
(A. longistylum Baker)
A. anisopodum Ledeb.
(A. tenuissimum non L.)
(A. tenuissimum var. anisopodum Regel)
var. Zimmermannianum (Gilg.) Kitagawa
A. satirum L. var. pekinense (Prokh.) Ma^kawa 大蒜
(A. pekinense Prokh.)
A. bidentatum Fisch.
(A. tenuissimum L. α typicum Rgl.)
(A. omiostema A. Shaw)
A. senescens L.
A. tenuissimum L.
*A. fistulosum L. 葱

*A. Cepa L. 玉葱，洋葱
*A. Scorodoprasum L. var. viviparum Regel
A. Listera Stearn
A. monanthum Max.
A. Buddhae Debx.
(A. Thunbergii G. Don.)
(A. chinense non G. Don)
A. eyaneum Regel
A. Taquetii Levl. et van.
(A. stenodon Nakai et Kitagawa)
A. hopeiense Nakai
A. kungii Nakai
(A. anisopodum var. Zimmermannianum Wang et Tang)
A. jcholense Fr.
A. sacculiferum Maxim.
A. Stellerianum willd.
A. weichanicum Palibin
Lilium tenuifolium Fisch. 山丹
L. Fargesii Fr.
L. concolor Salisb. 山丹，山紅花
var Buschianum (Lodd.) Baker
(L. pulchellum Fisch.)
L. partheneion Sieb. et De Vries
L. tigrinum Ker-Qawl. 卷丹
Caloscordum neriniflorum (Baker) Herbert
(Nothoscordum neriniflorum Bth. et Hk. f.)
Fritillaria dagana Turcz. 貝母
(F. Maximowiczii Freyn ?)
Lloydia serotina (L.) Reichb.

(L. alpina Salisb.)
Scilla sinensis (Lour.· Merr. 綿棗儿
Asparagus davuricus Fisch. 天門冬
var. Gibbus (Bge.) Baker
(A. Gibbus Bge.)
A. schoberioides Kunth 龙鬚菜
var. subsetaceus Fr.
A- trichophyllus Bge.
var. flexuosus Kth.
A. longitlorus Franch.
A. oligoclonos Maxim.
A. brachyphyllus Turcz.
Clintonia alpina (Royle) Kunth
(C. udensis Trautr. & Meyer)
Smilicina japonici A Gray 鹿葯, 小藜蘆
β mandshurica Maxim.
S. trifolia (L.) Desf.
(S. hirta Maxim.)
Maianthemum bifolium (L.) F. W. Schmidt
(M. convallaria Wigg.
Polygonatum macropodum Turcz. 黃精
(P. umbellatum Baker)
(Convallaria umbellata.
P. officinale All. 玉竹。萎蕤
(P. odoratum (Mill.) Druce)
var. γ japonicum (Morr. & Decne.) Maxim.
(P. japonicum Morr. et Dcne.
P. odoratum
var. japonicum (Morr. et Decne.) Hara)

var. β Maximowiczii (Fr. Schmidt) Maxim.

P. odoratum

var. Maximowiczii (Fr. Schmidt) Koidz.)

var. papillosum Fr.

var. humile (Fisch.) Baker

(P. humile Fisch.)

P. multiflorum (L.) All.

(P. japonicum Morr. et Decne?)

P. verticillatum (L.) All.

P. sibiricum Rodoute

(P. chinense Kunth)

P. involucratum Maxim.

P. platyphyllum Fr.

Disporum viridescens (Maxim.) Nakai 宝珠草, 宝鐸草

(D. smilacinum A. Gray var. viridescens [Max.] Maxim.)

(Uvularia viridescens Maxim.)

Convallaria majalis L. 鈴兰, 君影草

(C. Keiskei Miq.)

Paris hexaphylla Chamisso 王孙

Liriope graminifolia (L.) Baker 麦門冬, 麦冬

(L. spicata Lour. var. graminifolia (L.)

L. crassiuscula Ohwi (1943)

Mondo japonicum (L. f.) Fauvel 沿阶草

(Ophiopogon japonicus var. umbrosus Maxim.)

Smilax vaginata Decne.

(S. pekinensis A. DC.)

S. scobinicaulis C. H. Wright

S. herbacea L. var. angusta Wright 牛尾菜

S. sieboldii Miq. 鮎魚須

Amaryllidaceae 307) 石蒜科

Lycoris squamigera Maxim. 鹿葱

*Narcissus Tazetta L. var. chinensis M. Roem. 水仙

Dioscoreaceae (312) 薯蕷科

*Dioscorea Batatas Decne. 山葯

D. doryophora Hce.

(D. polystachya non Turcz.)

D. polystachya Turcz.)

(D. nipponica Makino)

(D. quinqueloba non Thunb.)

(D. Ginsldii R. Kunth)

var. versa Prain & Burk.

var. Rosthornii (Diels) Prain et Burk.

Iridaceae (308) 鳶尾科

*Belamcanda chinensis (L.) Leman 射干, 螞螂花

Gemmingia chinensis O. Ktze.)

Iris Pallasii Fisch.

(I. ensata non Thunb.)

var. β chinensis Fisch. 馬藺, 蠡実

(I. oxypetala Bunge.)

I. Rossii Baker

I. japonica Thbg. 蝴蝶花

I. dichotoma Pall. 白花射干

(Evansia vespertina Decne.)

I. tenuifolia Pall.

I. ventricosa Pall.

I. ruthenica Ker-Gawler 紫石蒲

(I. ruthenica Dryand)

I. tigridia Bge.

I. tectorum Maxim. 鳶尾，蝴蝶兰

I. nosiflora Pall. var. caricina Kitagawa

Cannaceae (292) 曇花科

*Canna indica L. 美人蕉

Orchidaceae (327) 兰科

Cypripedium guttatum Sw. 小口袋花

C. Thunbergii Bl. 大口袋花

(C. macranthum non Sw.)

(C. ventricosum non Sw.)

(C. calceolus non L.)

?C. Henryi Rolfe (1892) 湖北

Orchis Paxiana Schltr.

(O. Stracheyi Hook. f.?)

Aceratorchis tchiliensis Schltr.

Herminium Monorchis (L.) R. Br.

Porolabium tanguticum (Rolfe) Tang et Wang

(Herminium tanguticum Rolfe)

Peristylus viridis (L.) Lindl.

(P. bractecutus Lindl).

(Coeloglossum bracteatum [Willd.] Parl.)

(Habenaria viridis R. Br.)

Gymnadenia conopsea (L.) R. Br.

var. sibirica (Turcz.) Rchb.

(G. conopsea var. latifolia Schltr.)

Neottianthe cucullata (L.) Schtr.

Gymnadenia cucullata (L.) Rich.)

Liparis sp.

Platanthera Finetiana Schltr.

中科院植物所图书馆
S0002639

P. chlorantha Custor

Limnorchis hologlottis (Maxim.) Neoski

(Platanthera hologlottis Maxim.)

Perularia fuscescens (L.) Lindle.

Platanthera flava Lindl.)

Habenaria sagittifera Reichb. f.

Epipactis xanthophaea Schltr.

Epipogon aphyllum Swartz.

Neottia asiatica Ohwi

(N. micrantha Lindl.?)

(? = N. Gaudissarti H.-M.)

Listera Bungeana Yabe

Microstylis monophyllos (L.) Lindl.

(Malaxis monophyllos (L.) Swartz.)

var. chinensis Schltr.

Spiranthes Aristotelia (Raennsch) Merr. 綬草, 盘龙参

(S. sinensis [Pers.] Ames)

(S. amoena [M. B,] Spreng)

S. australis var. pudica L.)

Goodyera Schlechtendaliana Reichb.

Corallorhiza trifida Chatclain (1760)

(Corallorhiza innata R. Br.)

Microtis parviflora R. Br.

Gastrodia elata Bl.

收到期 1959.3.4
來源 北大
存書處 植物研究所
外幣
人民幣

1478663. 58.902
144
2:
河北原阪現栽培植物名錄

書号 58.902
144
2:
登記号 1478663